

**Table 1: Total Flora Species Composition in the survey sites**

| FAMILY        | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN CONSERVATIO |
|---------------|--|------------|-------|-----|-------|-------|-----|------------------|
| Acanthaceae   | <i>Asystasia gangetica</i> (L.) T.Anderson ssp. <i>Gangetica</i>   | H          | √     | √   |       |       | √   | NE               |
| Acanthaceae   | <i>Acanthus ilicifolius</i> L.                                     | S          |       |     | √     |       |     | LC               |
| Acanthaceae   | <i>Staurogyne kingiana</i> C.B.Clarke                              | H          | √     |     |       |       |     | NE               |
| Actinidiaceae | <i>Saurauia pentapetala</i> (Jack) Hoogland                        | T          | √     | √   |       | √     |     | NE               |
| Adiantaceae   | <i>Adiantum latifolium</i> Lam.                                    | F          | √     | √   |       | √     | √   | NE               |
| Adiantaceae   | <i>Vittaria ensiformis</i> Sw.                                     | F          | √     |     |       | √     | √   | NE               |
| Adiantaceae   | <i>Taenitis dimorpha</i> Holtum                                    | F          | √     |     |       |       | √   | NE               |
| Alangiaceae   | <i>Alangium ebenaceum</i> (C.B.Clarke) Harms var. <i>ebenaceum</i> | T          | √     |     |       | √     |     | NE               |
| Alangiaceae   | <i>Alangium nobile</i> (C.B.Clarke) Harms                          | T          | √     |     |       | √     |     | NE               |
| Alismataceae  | <i>Limnocharis flava</i> (L.) Buchenau                             | H          |       | √   |       | √     | √   | NE               |
| Anacardiaceae | <i>Bouea oppositifolia</i> (Roxb.) Meisn.                          | T          | √     |     |       |       |     | NE               |
| Anacardiaceae | <i>Buchanania arborescens</i> (Blume) Blume                        | T          |       |     |       | √     |     | NE               |
| Anacardiaceae | <i>Buchanania sessifolia</i> Blume                                 | T          | √     |     |       | √     |     | NE               |
| Anacardiaceae | <i>Campnosperma auriculatum</i> (Blume) Hook.f.                    | T          | √     |     |       |       |     | NE               |
| Anacardiaceae | <i>Campnosperma coriaceum</i> (Jack) Hallier f.                    | T          | √     |     |       | √     |     | NE               |
| Anacardiaceae | <i>Campnosperma squamatum</i>                                      | T          | √     |     |       |       |     | NE               |

| FAMILY           | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|------------------|---|------------|-------|-----|-------|-------|-----|---------------------|
|                  | Ridl.   |            |       |     |       |       |     |                     |
| Anacardiaceae    | <i>Dracontomelon dao (Blanco)<br/>Merr. &amp; Rolfe</i>         | T          | √     |     |       | √     |     | NE                  |
| Anacardiaceae    | <i>Drimycarpus luridus (Hookf)<br/>Ding Hou</i>                 | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Gluta aptera (King) Ding<br/>Hou</i>                         | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Gluta elegans</i> (Wall.) Hook.f.                            | T          | √     |     |       | √     |     | NE                  |
| Anacardiaceae    | <i>Mangifera gracilipes</i> Hook.f.                             | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Mangifera macrocarpa</i><br>Blume                            | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Mangifera magnifica</i><br>Kochummen                         | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Mangifera quadrifida</i> Jack                                | T          | √     |     |       | √     |     | NE                  |
| Anacardiaceae    | <i>Melanochyla angustifolia</i><br>Hook.f.                      | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Melanochyla auriculata</i><br>Hook.f.                        | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Melanochyla bracteata</i> King                               | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Melanochyla caesia</i> (Blume)<br>Ding Hou                   | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Melanochyla fulvinervis</i><br>(Blume) Ding Hou              | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Melanochyla tomentosa</i><br>Hook.f.                         | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Parishia paucijuga</i> Engl.                                 | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Pentaspadon motleyi</i> Hook.f.                              | T          | √     |     |       |       |     | NE                  |
| Anacardiaceae    | <i>Swintonia schwenkii</i> (Teijsm.<br>& Binn.) Teijsm. & Binn. | T          | √     |     |       |       |     | NE                  |
| Anisophylleaceae | <i>Anisophyllea corneri</i> Ding<br>Hou                         | T          | √     |     |       |       |     | NE                  |

| FAMILY           | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|------------------|---|------------|-------|-----|-------|-------|-----|---------------------|
| Anisophylleaceae | <i>Anisophyllea disticha</i> (Jack) Baill.                  | T          | ✓     |     |       |       |     | NE                  |
| Anisophylleaceae | <i>Anisophyllea rhomboidea</i> Baill.                       | T          | ✓     |     |       |       |     | NE                  |
| Anisophylleaceae | <i>Anisophyllea scortechinii</i> King                       | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Alphonsea cylindrica</i> King                            | T          | ✓     |     |       |       |     | LC                  |
| Annonaceae       | <i>Alphonsea maingayi</i> Hook.f. & Thomson                 | T          | ✓     |     |       |       |     | LC                  |
| Annonaceae       | <i>Desmos chinensis</i> Lour.                               | T          | ✓     |     |       | ✓     | ✓   | NE                  |
| Annonaceae       | <i>Enicosanthum fuscum</i> (King) Airy Shaw                 | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Friesodielsia affinis</i> (Hook.f. & Thomson) D.Das      | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Goniothalamus curtisii</i> King                          | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Goniothalamus macrophyllus</i> (Blume) Hook.f. & Thomson | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Goniothalamus wrayi</i> King                             | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Mezzettia parviflora</i> Becc.                           | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Mitrephora maingayi</i> Hook.f. & Thomson                | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Monocarpia marginalis</i> (Scheff.) J.Sinclair           | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Phaeanthus ophthalmicus</i> (Roxb. ex G.Don) J.Sinclair  | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Polyalthia bullata</i> King                              | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Polyalthia cauliflora</i> Hook.f. & Thomson              | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Polyalthia rumphii</i> (Blume) Merr.                     | T          | ✓     |     |       |       |     | NE                  |
| Annonaceae       | <i>Polyalthia stenopetala</i>                               | T          | ✓     |     |       |       |     | NE                  |

| FAMILY      | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|-------------|--|------------|-------|-----|-------|-------|-----|---------------------|
|             | (Hook.f. & Thomson) Ridl.                                      |            |       |     |       |       |     |                     |
| Annonaceae  | <i>Polyalthia sumatrana</i> (Miq.) Kurz.                       | T          | √     |     |       |       |     | NE                  |
| Annonaceae  | <i>Popowia pisocarpa</i> (Blume) Endl.                         | T          | √     |     |       |       |     | NE                  |
| Annonaceae  | <i>Pseuduvaria macrophylla</i> (Oliv.) Merr.                   | T          | √     |     |       |       |     | NE                  |
| Annonaceae  | <i>Trivalvaria macrophylla</i> (Blume) Miq.                    | T          | √     |     |       |       |     | NE                  |
| Annonaceae  | <i>Xylopia caudata</i> Hook.f. & Thomson                       | T          | √     |     | √     | √     |     | NE                  |
| Annonaceae  | <i>Xylopia ferruginea</i> (Hook.f. & Thomson) Hook.f. & Thoms  | T          | √     |     |       |       |     | NE                  |
| Annonaceae  | <i>Xylopia fusca</i> Maingay ex Hook.f. & Thomson              | T          |       |     |       | √     |     | NE                  |
| Annonaceae  | <i>Xylopia magna</i> Maingay ex Hook.f. & Thomson              | T          | √     |     |       |       |     | NE                  |
| Annonaceae  | <i>Xylopia malayana</i> Hook.f. & Thomson var. <i>malayana</i> | T          | √     |     |       |       |     | NE                  |
| Apocynaceae | <i>Alstonia angustifolia</i> Wall. ex DC.                      | T          | √     |     |       | √     |     | LC                  |
| Apocynaceae | <i>Alstonia angustiloba</i> Miq.                               | T          | √     |     | √     |       |     | LC                  |
| Apocynaceae | <i>Alstonia macrophylla</i> Wall. ex G.Don                     | T          | √     |     |       | √     |     | LC                  |
| Apocynaceae | <i>Alstonia spatulata</i> Blume                                | T          |       |     |       | √     |     | NE                  |
| Apocynaceae | <i>Cerbera manghas</i> L.                                      | T          |       |     | √     |       |     | NE                  |
| Apocynaceae | <i>Dyera costulata</i> (Miq.) Hook.f.                          | T          | √     |     |       | √     |     | NE                  |
| Apocynaceae | <i>Kibatalia maingayi</i> (Hook.f.) Woodson                    | T          | √     |     |       | √     |     | NE                  |
| Apocynaceae | <i>Tabernaemontana corymbosa</i>                               | T          | √     |     |       |       |     | NE                  |

| FAMILY           | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN CONSERVATIO |
|------------------|--|------------|-------|-----|-------|-------|-----|------------------|
|                  | Roxb. ex Wall.   |            |       |     |       |       |     |                  |
| Aquifoliaceae    | <i>Ilex macrophylla</i> Hook.f.  | T          | ✓     |     |       |       |     | NE               |
| Araceae          | <i>Aglaonema simplex</i> (Blume) Blumer                                  | H          | ✓     |     |       | ✓     |     | LC               |
| Araceae          | <i>Amorphophallus</i> sp.  | H          | ✓     |     |       |       |     | NE               |
| Araceae          | <i>Colocasia gigantea</i> (Blume) Hook. f.                               | H          |       | ✓   |       | ✓     | ✓   | NE               |
| Araceae          | <i>Homalomena sagittifolia</i> Jungh. ex Schott var. <i>sagittifolia</i> | H          | ✓     |     |       |       |     | NE               |
| Araliaceae       | <i>Arthrophyllum diversifolium</i> Blume                                 | T          |       |     |       | ✓     |     | NE               |
| Araliaceae       | <i>Schefflera</i> sp.  | T          | ✓     |     |       |       |     | NE               |
| Araliaceae       | <i>Trevesia burckii</i> Boerl.   | T          | ✓     |     |       | ✓     |     | NE               |
| Aristolochiaceae | <i>Thottea corimbosa</i> (Griff.) Ding Hou                               | H          | ✓     |     |       |       |     | NE               |
| Aristolochiaceae | <i>Thottea grandiflora</i> Rottb.  | H          |       |     |       | ✓     |     | NE               |
| Asclepiadaceae   | <i>Finlaysonia obovata</i> Wall.   | L          |       |     | ✓     |       |     | NE               |
| Aspleniaceae     | <i>Asplenium nidus</i> L.  | F          | ✓     |     | ✓     |       |     | NE               |
| Aspleniaceae     | <i>Asplenium tenerum</i> G.Forst.  | F          | ✓     |     |       | ✓     |     | NE               |
| Avicenniaceae    | <i>Avicennia alba</i> Blume  | T          |       |     | ✓     |       |     | NE               |
| Avicenniaceae    | <i>Avicennia marina</i> (Forsk.) Vierh.                                  | T          |       |     | ✓     |       |     | NE               |
| Avicenniaceae    | <i>Avicennia rumphiana</i> Hallier f.                                    | T          |       |     | ✓     |       |     | NE               |
| Begoniaceae      | <i>Begonia barbellata</i> Ridl.  | T          | ✓     |     |       |       |     | NE               |
| Begoniaceae      | <i>Begonia holttumii</i> Irmsch.   | T          | ✓     |     |       |       |     | NE               |
| Bignoniaceae     | <i>Radermachera glandulosa</i> (Blume) Miq.                              | T          | ✓     |     |       |       |     | NE               |
| Blechnaceae      | <i>Blechnum orientale</i> L.   | F          | ✓     |     |       | ✓     |     | NE               |

| FAMILY            | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|-------------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Blechnaceae       | <i>Stenochlaena palustris</i><br>(Burm.f.) Bedd.           | F          | √     |     | √     | √     |     | NE                  |
| Bombacaceae       | <i>Coelostegia griffithii</i> Benth.                       | T          |       |     |       |       |     | NE                  |
| Bombacaceae       | <i>Durio graveolens</i> Becc.                              | T          |       |     |       |       | √   | NE                  |
| Bombacaceae       | <i>Durio lowianus</i> Scort ex King                        | T          | √     |     |       |       | √   | NE                  |
| Bombacaceae       | <i>Durio singaporenensis</i> Ridl.                         | T          |       |     |       |       | √   | NE                  |
| Bombacaceae       | <i>Neesia malayana</i> Bakh.                               | T          | √     |     |       | √     |     | NE                  |
| Bombacaceae       | <i>Neesia synandra</i> Mast.                               | T          |       |     |       | √     |     | NE                  |
| Burseraceae       | <i>Canarium littorale</i> Blume                            | T          | √     | √   |       |       | √   | NE                  |
| Burseraceae       | <i>Canarium patentinervium</i><br>Miq.                     | T          | √     | √   |       |       | √   | NE                  |
| Burseraceae       | <i>Canarium pilosum</i> Benn                               | T          | √     |     |       |       |     | NE                  |
| Burseraceae       | <i>Dacryodes laxa</i> (Benn.) H.J.Lam                      | T          | √     |     |       |       |     | NE                  |
| Burseraceae       | <i>Dacryodes rostrata</i> (Blume)<br>H.J.Lam               | T          | √     |     |       | √     |     | NE                  |
| Burseraceae       | <i>Santiria apiculata</i> Benn. var.<br><i>apiculata</i>   | T          |       |     |       | √     |     | NE                  |
| Burseraceae       | <i>Santiria griffithii</i> (Hook.f.) Engl.                 | T          | √     |     |       |       | √   | NE                  |
| Burseraceae       | <i>Santiria laevigata</i> Blume                            | T          | √     |     |       |       |     | NE                  |
| Burseraceae       | <i>Santiria tomentosa</i> Blume                            | T          | √     |     |       |       |     | NE                  |
| Cardiopteridaceae | <i>Gonocaryum lobbianum</i><br>(Miers) Kurz                | T          |       | √   |       | √     |     | NE                  |
| Casuarinaceae     | <i>Casuarina equisetifolia</i> L.                          | T          |       |     | √     |       |     | NE                  |
| Celastraceae      | <i>Bhesa paniculata</i> Arn.                               | T          | √     |     |       |       |     | NE                  |
| Celastraceae      | <i>Euonymus javanicus</i> Blume                            | T          | √     |     |       |       |     | NE                  |
| Celastraceae      | <i>Glyptopetalum</i><br><i>quadrangulare</i> Prain ex King | T          | √     |     |       |       |     | NE                  |
| Celastraceae      | <i>Lophopetalum pachyphylum</i>                            | T          | √     |     |       |       |     | NE                  |

| FAMILY           | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|------------------|---|------------|-------|-----|-------|-------|-----|---------------------|
|                  | King.   |            |       |     |       |       |     |                     |
| Celastraceae     | <i>Salacia grandiflora</i> Kurz                                       | T          | ✓     |     |       |       |     | NE                  |
| Chrysobalanaceae | <i>Atuna nannodes</i> (Kostermans) Kostermans                         | T          | ✓     |     |       | ✓     |     | NE                  |
| Chrysobalanaceae | <i>Atuna racemosa</i> Raf.  | T          |       |     |       | ✓     |     | NE                  |
| Chrysobalanaceae | <i>Licania splendens</i> (Korth.) Prance                              | T          | ✓     |     |       |       |     | NE                  |
| Chrysobalanaceae | <i>Parinari rigida</i> Kostermans                                     | T          | ✓     |     |       |       |     | NE                  |
| Combretaceae     | <i>Lumnitzera littorea</i> (Jack) Voigt                               | T          |       |     | ✓     |       |     | NE                  |
| Combretaceae     | <i>Terminalia catappa</i> L.  | T          |       |     | ✓     |       |     | NE                  |
| Compositae       | <i>Pluchea indica</i> (L.) Less.                                      | T          |       |     | ✓     |       |     | NE                  |
| Compositae       | <i>Sphagneticola calendulacea</i> (L.) Pruski                         | T          |       |     | ✓     |       |     | NE                  |
| Compositae       | <i>Wollastonina biflora</i> (L.) DC.                                  | T          |       |     | ✓     |       |     | NE                  |
| Compositae       | <i>Chromolaena odorata</i> (L.) R.M.King & H.Rob.                     | H          |       |     |       |       |     | NE                  |
| Compositae       | <i>Emilia sonchifolia</i> (L.) DC.                                    | H          |       |     |       |       |     | NE                  |
| Compositae       | <i>Mikania cordata</i> (Burm.f.) B.L.Rob.                             | H          |       | ✓   |       | ✓     | ✓   | NE                  |
| Compositae       | <i>Vernonia arborea</i> Buch.-Ham                                     | T          |       | ✓   |       |       | ✓   | NE                  |
| Connaraceae      | <i>Cnestis palala</i> (Lour.) Merr.                                   | T          |       | ✓   |       |       | ✓   | NE                  |
| Convallariaceae  | <i>Peliosanthes teta</i> Andrews ssp. <i>humilis</i> (Andrews) Jessop | T          |       |     |       |       | ✓   | NE                  |
| Convolvulaceae   | <i>Ipomoea aquatica</i> Forssk.                                       | H          |       |     |       |       | ✓   | LC                  |
| Convolvulaceae   | <i>Ipomoea pes-caprae</i> subsp. <i>brasiliensis</i> (L.) Ooststr.    | H          |       |     | ✓     |       |     | NE                  |
| Costaceae        | <i>Costus speciosus</i> (J.König) Sm.                                 | H          | ✓     | ✓   |       |       | ✓   | NE                  |

| FAMILY           | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|------------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Crypteroniaceae  | <i>Crypteronia griffithii</i><br>C.B.Clarke  | T          | ✓     | ✓   |       |       |     | NE                  |
| Cyatheaceae      | <i>Cyathea latebrosa</i> (Wall. ex Hook.) Copel.                                   | F          | ✓     |     |       |       | ✓   | NE                  |
| Cyperaceae       | <i>Mapania cuspidata</i> (Miq.) Uittien var. <i>petiolata</i> (C.B.Clarke) Uittien | H          | ✓     |     |       |       |     | NE                  |
| Cyperaceae       | <i>Scleria sumatrensis</i> Retz.   | H          |       | ✓   |       | ✓     | ✓   | NE                  |
| Davalliaceae     | <i>Davallia denticulata</i> (Burm. f.) Mett. ex Kuhn                               | F          |       | ✓   |       | ✓     | ✓   | NE                  |
| Dennstaedtiaceae | <i>Lindsaea scandens</i> Hook.   | F          | ✓     |     |       | ✓     | ✓   | NE                  |
| Dilleniaceae     | <i>Acotrema costatum</i> Jack  | H          | ✓     |     |       | ✓     | ✓   | NE                  |
| Dilleniaceae     | <i>Dillenia grandifolia</i> Wall. ex Hook.f. & Thomson                             | S          | ✓     |     |       |       |     | NE                  |
| Dilleniaceae     | <i>Dillenia reticulata</i> King var. <i>psilocarpella</i> Hoogland                 | S          | ✓     |     |       |       |     | NE                  |
| Dilleniaceae     | <i>Dillenia sumatrana</i> Miq.   | S          |       |     |       | ✓     |     | NE                  |
| Dilleniaceae     | <i>Tetracera indica</i> (Christm. & Panz.) Merr.                                   | H          | ✓     |     |       |       |     | NE                  |
| Dioscoreaceae    | <i>Dioscorea hispida</i> Dennst.   | L          | ✓     |     |       |       |     | NE                  |
| Dipterocarpaceae | <i>Anisoptera laevis</i> Ridl.   | T          |       |     |       | ✓     |     | EN                  |
| Dipterocarpaceae | <i>Dipterocarpus concavus</i> Foxw.  | T          | ✓     |     |       | ✓     |     | CR                  |
| Dipterocarpaceae | <i>Dipterocarpus coriaceus</i> Slooten   | T          | ✓     | ✓   |       |       |     | CR                  |
| Dipterocarpaceae | <i>Dipterocarpus costulatus</i> Slooten  | T          | ✓     |     |       |       |     | CR                  |
| Dipterocarpaceae | <i>Dipterocarpus crinitus</i> Dyer   | T          | ✓     |     |       |       |     | EN                  |
| Dipterocarpaceae | <i>Dipterocarpus euryynchus</i> Miq.   | T          | ✓     |     |       |       |     | CR                  |
| Dipterocarpaceae | <i>Dipterocarpus grandiflorus</i>  | T          | ✓     |     |       |       |     | CR                  |

| FAMILY           | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|------------------|---|------------|-------|-----|-------|-------|-----|---------------------|
|                  | (Blanco) Blanco   |            |       |     |       |       |     |                     |
| Dipterocarpaceae | <i>Dipterocarpus lowii</i> Hook.f.  | T          | ✓     | ✓   |       |       |     | CR                  |
| Dipterocarpaceae | <i>Dipterocarpus sarawakensis</i> (Browne) Slooten                        | T          | ✓     |     |       |       |     | NE                  |
| Dipterocarpaceae | <i>Dipterocarpus verrucosus</i> Foxw.                                     | T          | ✓     |     |       |       |     | NE                  |
| Dipterocarpaceae | <i>Dryobalanops aromatica</i> C.F.Gaertn.                                 | T          | ✓     |     |       |       |     | NE                  |
| Dipterocarpaceae | <i>Dryobalanops oblongifolia</i> Dyer ssp. <i>occidentalis</i> P.S.Ashton | T          | ✓     |     |       |       |     | NE                  |
| Dipterocarpaceae | <i>Hopea mengerawan</i> Miq.  | T          | ✓     |     |       |       |     | NE                  |
| Dipterocarpaceae | <i>Hopea nutans</i> Ridl.   | T          | ✓     |     |       |       |     | CR                  |
| Dipterocarpaceae | <i>Neobalanocarpus heimii</i> (King) P.S.Ashton                           | T          | ✓     |     |       |       |     | VU                  |
| Dipterocarpaceae | <i>Parashorea stellata</i> Kurz   | T          | ✓     |     |       |       |     | CR                  |
| Dipterocarpaceae | <i>Shorea acuminata</i> Dyer  | T          | ✓     |     |       |       |     | CR                  |
| Dipterocarpaceae | <i>Shorea assamica</i> Dyer   | T          | ✓     |     |       |       |     | NE                  |
| Dipterocarpaceae | <i>Shorea atrinervosa</i> Symington                                       | T          | ✓     |     |       |       |     | NE                  |
| Dipterocarpaceae | <i>Shorea balanocarpoides</i> Symington                                   | T          | ✓     |     |       |       |     | EN                  |
| Dipterocarpaceae | <i>Shorea bracteolata</i> Dyer  | T          | ✓     |     |       |       |     | CR                  |
| Dipterocarpaceae | <i>Shorea collina</i> Ridl.   | T          | ✓     |     |       |       |     | NE                  |
| Dipterocarpaceae | <i>Shorea curtisii</i> Dyer ex King ssp. <i>curtisii</i>                  | T          | ✓     |     |       |       |     | NE                  |
| Dipterocarpaceae | <i>Shorea faguetiana</i> F.Heim   | T          | ✓     |     |       |       |     | EN                  |
| Dipterocarpaceae | <i>Shorea foxworthyi</i> Symington  | T          | ✓     |     |       |       |     | CR                  |
| Dipterocarpaceae | <i>Shorea hopeifolia</i> (F.Heim) Symington                               | T          | ✓     |     |       |       |     | CR                  |

| FAMILY           | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN CONSERVATIO |
|------------------|---|------------|-------|-----|-------|-------|-----|------------------|
| Dipterocarpaceae | <i>Shorea lepidota</i> (Korth.) Blume                                   | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Shorea leprosula</i> Miq.  | T          | ✓     |     |       |       |     | EN               |
| Dipterocarpaceae | <i>Shorea longisperma</i> Roxb.   | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Shorea macroptera</i> Dyer   | T          | ✓     |     |       |       |     | NE               |
| Dipterocarpaceae | <i>Shorea maxima</i> (King) Symington                                   | T          | ✓     |     |       |       |     | EN               |
| Dipterocarpaceae | <i>Shorea multiflora</i> (Burck) Symington                              | T          | ✓     |     |       |       |     | LC               |
| Dipterocarpaceae | <i>Shorea ovalis</i> (Korth.) Blume                                     | T          | ✓     |     |       |       |     | NE               |
| Dipterocarpaceae | <i>Shorea palembanica</i> Miq.  | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Shorea parvifolia</i> Dyer ssp. <i>parvifolia</i>                    | T          | ✓     |     |       |       |     | NE               |
| Dipterocarpaceae | <i>Shorea pauciflora</i> King   | T          | ✓     |     |       |       |     | EN               |
| Dipterocarpaceae | <i>Shorea platycarpa</i> F.Heim   | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Shorea singkawang</i> (Miq.) Miq.<br>Ssp. <i>scabrosa</i> P.S.Ashton | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Shorea singkawang</i> (Miq.) Miq.<br>ssp. <i>singkawang</i>          | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Shorea sumatrana</i> (Slooten)<br>Desch                              | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Shorea uliginosa</i> Foxw.   | T          | ✓     |     |       |       |     | VU               |
| Dipterocarpaceae | <i>Vatica havilandii</i> Brandis  | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Vatica nitens</i> King   | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Vatica pauciflora</i>  | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Vatica pauciflora</i> (Korth.) Blume                                 | T          | ✓     |     |       |       |     | CR               |
| Dipterocarpaceae | <i>Vatica stapfiana</i> (King) Slooten                                  | T          | ✓     |     |       |       |     | NE               |

| FAMILY          | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|-----------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Dracaenaceae    | <i>Dracaena elliptica</i> Thunb.                                     | S          |       | ✓   |       | ✓     | ✓   | NE                  |
| Dryopteridaceae | <i>Diplazium cordifolium</i> Blume var. <i>cordifolium</i>           | F          | ✓     | ✓   |       |       | ✓   | NE                  |
| Dryopteridaceae | <i>Diplazium mtoomentosu</i> Blume                                   | F          |       | ✓   |       | ✓     |     | NE                  |
| Ebenaceae       | <i>Diospyros areolata</i> King & Gamble                              | T          | ✓     | ✓   |       | ✓     |     | NE                  |
| Ebenaceae       | <i>Diospyros argentea</i> Griff.                                     | T          | ✓     |     |       |       |     | NE                  |
| Ebenaceae       | <i>Diospyros buxifolia</i> (Blume) Hiern.                            | T          | ✓     |     |       |       |     | NE                  |
| Ebenaceae       | <i>Diospyros confertiflora</i> (Hiern.) Bakh.                        | T          | ✓     |     |       |       |     | NE                  |
| Ebenaceae       | <i>Diospyros diepenhorstii</i> Miq.                                  | T          | ✓     |     |       |       |     | NE                  |
| Ebenaceae       | <i>Diospyros ellipsoidea</i> King & Gamble                           | T          | ✓     |     |       | ✓     |     | NE                  |
| Ebenaceae       | <i>Diospyros lanceifolia</i> Roxb.                                   | T          | ✓     |     |       |       |     | NE                  |
| Ebenaceae       | <i>Diospyros latisepala</i> Ridl.                                    | T          | ✓     |     |       |       |     | NE                  |
| Ebenaceae       | <i>Diospyros maingayi</i> (Hiern) Bakh.                              | T          | ✓     |     |       | ✓     |     | NE                  |
| Ebenaceae       | <i>Diospyros rigida</i> Hiern.                                       | T          | ✓     |     |       |       |     | NE                  |
| Ebenaceae       | <i>Diospyros rufa</i> King & Gamble                                  | T          | ✓     |     |       | ✓     |     | NE                  |
| Ebenaceae       | <i>Diospyros scortechinii</i> King & Gamble                          | T          | ✓     |     |       |       |     | NE                  |
| Ebenaceae       | <i>Diospyros sumatrana</i> Miq.                                      | T          | ✓     | ✓   |       | ✓     |     | NE                  |
| Ebenaceae       | <i>Diospyros wallichii</i> King & Gamble ex F.N.Williams             | T          | ✓     |     |       |       |     | NE                  |
| Elaeocarpaceae  | <i>Elaeocarpus ferrugineus</i> (Jack) Steud. ssp. <i>ferrugineus</i> | T          |       |     |       |       | ✓   | NE                  |
| Elaeocarpaceae  | <i>Elaeocarpus nitidus</i> Jack var. <i>nitidus</i>                  | T          | ✓     |     |       |       | ✓   | NE                  |

| FAMILY         | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|----------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Elaeocarpaceae | <i>Elaeocarpus palembanicus</i> (Miq.) Corner              | T          | ✓     |     |       |       |     | NE                  |
| Elaeocarpaceae | <i>Elaeocarpus rugosus</i> Roxb.                           | T          | ✓     |     |       |       |     | NE                  |
| Ericaceae      | <i>Diplycosia heterophylla</i> Bl.                         | L          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae  | <i>Agrostistachys gaudichaudii</i> Müll.Arg.               | T          | ✓     | ✓   |       |       | ✓   | NE                  |
| Euphorbiaceae  | <i>Antidesma coriaceum</i> Tul.                            | S          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae  | <i>Antidesma cuspidatum</i> Müll.Arg.                      | T          | ✓     | ✓   |       | ✓     |     | NE                  |
| Euphorbiaceae  | <i>Antidesma neurocarpum</i> Miq.                          | T          | ✓     |     |       | ✓     |     | NE                  |
| Euphorbiaceae  | <i>Baccaurea brevipes</i> Hook.f.                          | T          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae  | <i>Baccaurea kunstleri</i> King ex Gage                    | T          | ✓     | ✓   |       |       |     | NE                  |
| Euphorbiaceae  | <i>Baccaurea lanceolata</i> (Miq.) Müll.Arg.               | T          | ✓     | ✓   |       |       |     | NE                  |
| Euphorbiaceae  | <i>Baccaurea minor</i> Hook.f.                             | T          | ✓     | ✓   |       | ✓     |     | NE                  |
| Euphorbiaceae  | <i>Baccaurea parviflora</i> (Müll.Arg.) Müll.Arg.          | T          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae  | <i>Baccaurea polyneura</i> Hook.f.                         | T          | ✓     |     |       | ✓     |     | NE                  |
| Euphorbiaceae  | <i>Baccaurea racemosa</i> (Reinw.) Müll.Arg.               | T          | ✓     |     |       | ✓     |     | NE                  |
| Euphorbiaceae  | <i>Baccaurea reticulata</i> Hook.f.                        | T          | ✓     | ✓   |       |       |     | NE                  |
| Euphorbiaceae  | <i>Blumeodendron calophyllum</i> Airy Shaw                 | T          | ✓     | ✓   |       |       |     | NE                  |
| Euphorbiaceae  | <i>Blumeodendron kurzii</i> (Hook.f.) J.J.Sm.              | T          | ✓     | ✓   |       | ✓     |     | NE                  |
| Euphorbiaceae  | <i>Bridelia tomentosa</i> Blume                            | T          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae  | <i>Chondrostylis kunstleri</i> (King ex Hook.f.) Airy Shaw | T          |       |     |       | ✓     |     | NE                  |
| Euphorbiaceae  | <i>Cleistanthus sumatranus</i> (Miq.) Müll.Arg.            | T          |       |     |       | ✓     |     | NE                  |

| FAMILY        | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|---------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Euphorbiaceae | <i>Croton argyratus</i> Blume                          | T          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae | <i>Croton laevifolius</i> Blume                        | T          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae | <i>Drypetes pendula</i> Ridl.                          | T          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae | <i>Elateriospermum tapos</i> Blume                     | T          | ✓     | ✓   |       | ✓     | ✓   | NE                  |
| Euphorbiaceae | <i>Endospermum diadenum</i> (Miq.) Airy Shaw           | T          |       | ✓   |       |       |     | NE                  |
| Euphorbiaceae | <i>Epiprinus malayanus</i> Griff.                      | T          |       | ✓   |       | ✓     |     | NE                  |
| Euphorbiaceae | <i>Excoecaria agallocha</i> L.                         | S          |       | ✓   | ✓     |       |     | NE                  |
| Euphorbiaceae | <i>Glochidion glomerulatum</i> (Miq.) Boerl.           | T          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae | <i>Macaranga conifera</i> (Zoll.) Müll.Arg.            | T          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae | <i>Macaranga gigantea</i> (Rchb.f. & Zoll.) Müll.Arg.  | T          | ✓     |     |       |       |     | NE                  |
| Euphorbiaceae | <i>Macaranga heynei</i> I.M.Johnst.                    | T          | ✓     | ✓   |       |       |     | NE                  |
| Euphorbiaceae | <i>Macaranga hosei</i> King ex Hook.f.                 | T          |       | ✓   |       |       |     | NE                  |
| Euphorbiaceae | <i>Macaranga hypoleuca</i> (Rchb.f. & Zoll.) Müll.Arg. | T          | ✓     | ✓   |       | ✓     |     | NE                  |
| Euphorbiaceae | <i>Macaranga tanarius</i> (L.) Müll.Arg.               | T          |       | ✓   |       | ✓     | ✓   | NE                  |
| Euphorbiaceae | <i>Macaranga</i> (Blume) Müll. <i>triloba</i> Arg.     | T          | ✓     | ✓   |       | ✓     | ✓   | NE                  |
| Euphorbiaceae | <i>Mallotus griffithianus</i> Hook.f.                  | T          | ✓     | ✓   |       | ✓     | ✓   | NE                  |
| Euphorbiaceae | <i>Mallotus macrostachyus</i> (Miq.) Müll.Arg.         | T          | ✓     | ✓   |       | ✓     | ✓   | NE                  |
| Euphorbiaceae | <i>Mallotus oblongifolius</i> (Miq.) Müll.Arg.         | T          |       | ✓   |       | ✓     | ✓   | NE                  |
| Euphorbiaceae | <i>Mallotus paniculatus</i> (Lam.)                     | T          | ✓     | ✓   |       | ✓     |     | NE                  |

| FAMILY        | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN CONSERVATIO |
|---------------|--|------------|-------|-----|-------|-------|-----|------------------|
|               | Müll.Arg.  |            |       |     |       |       |     |                  |
| Euphorbiaceae | <i>Manihot esculenta</i> Crantz                                    | S          |       |     |       |       | ✓   | NE               |
| Euphorbiaceae | <i>Neoscortechinia kingii</i> (Hook.f.) Pax & K.Hoffm.             | T          | ✓     |     |       | ✓     |     | NE               |
| Euphorbiaceae | <i>Paracroton pendulus</i> (Hassk.) Miq.                           | T          | ✓     |     |       | ✓     |     | NE               |
| Euphorbiaceae | <i>Phyllanthus emblica</i> L.                                      | T          |       |     |       |       | ✓   | NE               |
| Euphorbiaceae | <i>Pimelodendron griffithianum</i> (Müll.Arg.) Benth.              | T          | ✓     |     |       |       |     | NE               |
| Euphorbiaceae | <i>Ptychopyxis caput-medusae</i> (Hook.f.) Ridl.                   | T          | ✓     |     |       |       |     | NE               |
| Euphorbiaceae | <i>Ptychopyxis costata</i> Miq. var. <i>oblanceolata</i> Airy Shaw | T          | ✓     |     |       |       |     | NE               |
| Euphorbiaceae | <i>Sapium baccatum</i> Roxb.                                       | T          | ✓     | ✓   |       |       |     | NE               |
| Euphorbiaceae | <i>Sapium discolor</i> (Champ. ex Benth.) Müll.Arg.                | T          | ✓     |     |       | ✓     |     | NE               |
| Euphorbiaceae | <i>Sauropolis androgynus</i> (L.) Merr.                            | T          | ✓     |     |       |       |     | NE               |
| Euphorbiaceae | <i>Triadica cochinchinensis</i> Lour.                              | T          | ✓     | ✓   |       | ✓     |     | NE               |
| Euphorbiaceae | <i>Trigonostemon laevigatus</i> Müll.Arg.                          | T          | ✓     |     |       |       |     | NE               |
| Fagaceae      | <i>Lithocarpus erythrocarpus</i> (Ridl.) A.Camus                   | T          | ✓     |     |       |       |     | NE               |
| Fagaceae      | <i>Castanopsis inermis</i> (Lindl. ex Wall.) Benth. & Hook.f.      | T          | ✓     |     |       |       |     | NE               |
| Fagaceae      | <i>Castanopsis schefferiana</i> Hance                              | T          | ✓     |     |       |       |     | NE               |
| Fagaceae      | <i>Lithocarpus ewyckii</i> (Korth.) Rehder                         | T          | ✓     |     |       |       |     | NE               |
| Fagaceae      | <i>Lithocarpus lucidus</i> (Roxb.) Rehder                          | T          | ✓     |     |       |       |     | NE               |

| FAMILY          | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|-----------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Fagaceae        | <i>Lithocarpus rassa (Miq.) Rehder</i>   | T          | ✓     |     |       |       |     | NE                  |
| Fagaceae        | <i>Lithocarpus wallichianus</i> (Lindl. ex Hance) Rehder                       | T          | ✓     |     |       |       |     | NE                  |
| Flacourtiaceae  | <i>Homalium dictyoneurum</i> (Hance) Warb.                                     | T          | ✓     |     |       |       |     | NE                  |
| Flacourtiaceae  | <i>Hydnocarpus castanea</i> Hook.f. & Thomson                                  | T          | ✓     |     |       |       |     | NE                  |
| Flacourtiaceae  | <i>Hydnocarpus filipes</i> Symington ex Sleumer                                | T          | ✓     |     |       |       |     | NE                  |
| Flacourtiaceae  | <i>Hydnocarpus kunstleri</i> (King) Warb. var. <i>tomentosa</i> (King) Sleumer | T          | ✓     |     |       |       |     | NE                  |
| Flacourtiaceae  | <i>Hydnocarpus nana</i> King   | T          | ✓     |     |       |       |     | NE                  |
| Flacourtiaceae  | <i>Hydnocarpus wrayi</i> King  | T          | ✓     |     |       |       |     | NE                  |
| Flacourtiaceae  | <i>Ryparosa kunstleri</i> King   | T          |       | ✓   |       |       |     | NE                  |
| Flacourtiaceae  | <i>Scaphocalyx spathacea</i> Ridl.   | T          | ✓     |     |       |       |     | NE                  |
| Flacourtiaceae  | <i>Scolopia macrophylla</i> (Wight & Arn.) Clos                                | T          |       | ✓   |       | ✓     |     | NE                  |
| Flacourtiaceae  | <i>Scolopia spinosa</i> (Roxb.) Warb.  | T          |       |     |       |       |     | NE                  |
| Flagellariaceae | <i>Flagellaria indica</i> L.   | L          | ✓     | ✓   | ✓     | ✓     | ✓   | NE                  |
| Gentianaceae    | <i>Fagraea racemosa</i> Jack ex Wall.  | T          | ✓     |     |       |       | ✓   | NE                  |
| Gesneriaceae    | <i>Cyrtandra cupulata</i> Ridl.  | T          |       | ✓   |       |       | ✓   | NE                  |
| Gesneriaceae    | <i>Cyrtandra wallichii</i> (C.B.Clarke) B.L.Burtt                              | T          | ✓     |     |       | ✓     |     | NE                  |
| Gesneriaceae    | <i>Cyrtandromoea subsessilis</i> (Miq.) B.L.Burtt                              | T          | ✓     |     |       | ✓     | ✓   | NE                  |
| Gesneriaceae    | <i>Henckelia atrosanguinea</i> (Ridl.) A.Weber                                 | T          |       | ✓   |       |       | ✓   | NE                  |

| FAMILY         | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|----------------|---|------------|-------|-----|-------|-------|-----|---------------------|
| Gesneriaceae   | <i>Henckelia floribunda</i> (M.R.Hend.) A.Weber                           | T          | √     |     |       |       |     | NE                  |
| Gesneriaceae   | <i>Henckelia platypus</i> (C.B.Clarke) A.Weber                            | T          | √     |     |       |       |     | NE                  |
| Gleicheniaceae | <i>Dicranopteris linearis</i> (Burm.f.) Underw.                           | F          |       | √   | √     | √     | √   | NE                  |
| Gramineae      | <i>Oryza sativa</i> L.  | H          |       |     |       |       | √   | NE                  |
| Gramineae      | <i>Pennisetum polystachion</i> (L.) Schult.                               | H          |       |     |       |       | √   | NE                  |
| Gramineae      | <i>Scrotochloa urceolata</i> (Roxb.) Judz.                                | H          |       |     |       |       | √   | NE                  |
| Gramineae      | <i>Themeda villosa</i> (Poir.) A.Camus                                    | H          |       |     |       |       | √   | NE                  |
| Gramineae      | <i>Zea mays</i> L.  | H          |       |     |       |       | √   | NE                  |
| Guttiferae     | <i>Calophyllum ferrugineum</i> Ridl.<br>var. ferrugineum                  | T          | √     |     |       |       |     | NE                  |
| Guttiferae     | <i>Calophyllum sclerophyllum</i> Vesque                                   | T          |       | √   |       | √     |     | NE                  |
| Guttiferae     | <i>Calophyllum soulattri</i> Burm.f.                                      | T          |       |     |       | √     |     | NE                  |
| Guttiferae     | <i>Calophyllum tetapterum</i> Miq.  | T          | √     |     |       |       |     | NE                  |
| Guttiferae     | <i>alophyllum wallichianum</i> C<br>Planch. & Triana var.<br>wallichianum | T          | √     |     |       |       |     | NE                  |
| Guttiferae     | <i>Cratoxylum arborescens</i> (Vahl)<br>Blume var. arborescens            | T          |       |     |       |       |     | NE                  |
| Guttiferae     | <i>Cratoxylum formosum</i> (Jack)<br>Dyer                                 | T          | √     | √   |       |       |     | NE                  |
| Guttiferae     | <i>Garcinia atroviridis</i> Griff. ex<br>T.Anderson                       | T          |       |     |       | √     |     | NE                  |

| FAMILY           | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|------------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Guttiferae       | <i>Garcinia bancana</i> (Miq.) Miq.<br>var. <i>bancana</i>   | T          | ✓     |     |       |       |     | NE                  |
| Guttiferae       | <i>Garcinia eugeniiifolia</i> Wall. ex T.Anderson  | T          | ✓     |     |       |       |     | NE                  |
| Guttiferae       | <i>Garcinia griffithii</i> T Anderson  | T          | ✓     |     |       |       |     | NE                  |
| Guttiferae       | <i>Garcinia maingayi</i> Hook.f.   | T          | ✓     |     |       |       |     | NE                  |
| Guttiferae       | <i>Garcinia malaccensis</i> Hook.f.  | T          | ✓     |     |       |       | ✓   | NE                  |
| Guttiferae       | <i>Garcinia nervosa</i> Miq. var.<br><i>nervosa</i>  | T          |       | ✓   |       |       |     | NE                  |
| Guttiferae       | <i>Garcinia nigrolineata</i><br>Planch. ex T. Anderson   | T          | ✓     |     |       |       |     | NE                  |
| Guttiferae       | <i>Garcinia scortechinii</i> King  | T          | ✓     |     |       |       |     | NE                  |
| Guttiferae       | <i>Kayeia grandis</i> King   | T          | ✓     |     |       |       |     | NE                  |
| Guttiferae       | <i>Kayeia lepidota</i> (T.Anderson)<br>Pierre  | T          | ✓     |     |       |       |     | NE                  |
| Guttiferae       | <i>Kayeia racemosa</i> Planch. &<br>Triana   | T          | ✓     |     |       |       |     | NE                  |
| Guttiferae       | <i>Mesua ferrea</i> L.   | T          | ✓     |     |       |       |     | NE                  |
| Hanguanaceae     | <i>Hanguana malayana</i> (Jack)<br>Merr.   | T          | ✓     | ✓   |       | ✓     |     | NE                  |
| Hydrocharitaceae | <i>Hydrilla verticillata</i> (L.f.) Royle  | H          |       | ✓   |       |       | ✓   | NE                  |
| Hymenophyllaceae | <i>Trichomanes javanicum</i><br>Blume  | S          |       |     |       |       |     | NE                  |
| Hypoxidaceae     | <i>Molineria latifolia</i> (Dryand.)<br>Herb. ex Kurz var. <i>latifolia</i><br>(Dryand.) Herb. ex Kurz | S          | ✓     | ✓   |       | ✓     |     | NE                  |
| Icacinaceae      | <i>Gonocaryum gracile</i> Miq.   | S          |       |     |       | ✓     |     | NE                  |
| Icacinaceae      | <i>lisMedusantha graci</i> (King)<br>Sleumer   | S          | ✓     | ✓   |       |       |     | NE                  |

| FAMILY        | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|---------------|---|------------|-------|-----|-------|-------|-----|---------------------|
| Irvingiaceae  | <i>Irvingia malayana</i> Oliv. ex Benn.                     | S          | √     | √   |       | √     |     | NE                  |
| Ixonanthaceae | <i>Ixonanthes reticulata</i> Jack                           | T          | √     |     |       | √     |     | NE                  |
| Ixonanthaceae | <i>Ixonanthes icosandra</i> Jack                            | T          |       | √   |       |       |     | NE                  |
| Labiatae      | <i>Clerodendrum deflexum</i> Wall.                          | T          | √     |     |       |       |     | NE                  |
| Labiatae      | <i>Clerodendrum hispidum</i> M.R.Hend.                      | T          | √     |     |       |       |     | NE                  |
| Labiatae      | <i>Clerodendrum laevifolium</i> Blume                       | T          | √     |     |       |       |     | NE                  |
| Labiatae      | <i>Clerodendrum villosum</i> Blume                          | S          | √     |     |       |       |     | NE                  |
| Labiatae      | <i>Teijsmanniodendron coriaceum</i> (C.B.Clarke) Kostermans | T          | √     | √   |       |       |     | NE                  |
| Labiatae      | <i>Teijsmanniodendron pteropodum</i> (Miq.) Bakh.           | T          |       | √   |       |       |     | NE                  |
| Labiatae      | <i>Vitex pinnata</i> L.                                     | T          | √     | √   |       | √     | √   | NE                  |
| Labiatae      | <i>Vitex vestita</i> Wall. ex Schauer                       | T          | √     |     |       |       | √   | NE                  |
| Lauraceae     | <i>Cassytha filiformis</i> L.                               | L          |       |     | √     |       |     | NE                  |
| Lauraceae     | <i>Actinodaphne pruinosa</i> Nees                           | T          |       |     |       |       |     | NE                  |
| Lauraceae     | <i>Beilschmiedia lucidula</i> (Miq.) Kostermans             | T          | √     |     |       |       |     | NE                  |
| Lauraceae     | <i>Beilschmiedia madang</i> Blume                           | T          | √     |     |       |       |     | NE                  |
| Lauraceae     | <i>Cinnamomum iners</i> Reinw.                              | T          | √     |     |       |       |     | NE                  |
| Lauraceae     | <i>Cinnamomum javanicum</i> Blume                           | T          | √     |     |       |       | √   | NE                  |
| Lauraceae     | <i>Cryptocarya ferrea</i> Blume                             | T          | √     |     |       |       | √   | NE                  |
| Lauraceae     | <i>Cryptocarya griffithiana</i> Wight                       | T          | √     |     |       |       |     | NE                  |
| Lauraceae     | <i>Cryptocarya kurzii</i> Hook.f.                           | T          |       |     |       |       |     | NE                  |

| FAMILY        | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|---------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Lauraceae     | <i>Dehaasia tomentosa</i> (Blume)<br>Kostermans  | T          | ✓     |     |       |       |     | NE                  |
| Lauraceae     | <i>Litsea castanea</i> Hook.f.                   | T          | ✓     |     |       |       |     | NE                  |
| Lauraceae     | <i>Litsea elliptica</i> Blume                    | T          | ✓     |     |       |       |     | NE                  |
| Lauraceae     | <i>Litsea ferruginea</i> (Blume)<br>Blume        | T          | ✓     |     |       |       |     | NE                  |
| Lauraceae     | <i>Litsea grandis</i> (Wall. ex<br>Nees) Hook.f. | T          | ✓     |     |       | ✓     |     | NE                  |
| Lauraceae     | <i>Litsea machilifolia</i> Gamble                | T          |       |     |       | ✓     |     | NE                  |
| Lauraceae     | <i>Litsea magnifica</i> (Miq.) Fern.-<br>Vill.   | T          |       |     |       |       |     | NE                  |
| Lauraceae     | <i>Litsea nidularis</i> Gamble                   | T          |       | ✓   |       | ✓     |     | NE                  |
| Lecythidaceae | <i>Barringtonia macrocarpa</i><br>Hassk.         | T          | ✓     | ✓   |       |       |     | NE                  |
| Lecythidaceae | <i>Barringtonia fusiformis</i> King              | T          | ✓     | ✓   |       |       |     | NE                  |
| Lecythidaceae | <i>Barringtonia macrostachya</i><br>(Jack) Kurz  | T          |       | ✓   |       |       |     | NE                  |
| Lecythidaceae | <i>Barringtonia pendula</i> (Griff.)<br>Kurz     | T          |       | ✓   |       |       |     | NE                  |
| Lecythidaceae | <i>Barringtonia racemosa</i> (L.)<br>Spreng.     | T          | ✓     |     |       |       |     | NE                  |
| Lecythidaceae | <i>Barringtonia scorchedinii</i><br>King         | T          | ✓     |     |       |       |     | NE                  |
| Leeaceae      | <i>Leea indica</i> (Burm.f.) Merr.               | T          | ✓     | ✓   |       | ✓     |     | NE                  |
| Leguminosae   | <i>Aganope heptaphylla</i> (L.) Polhill          | L          | ✓     | ✓   |       | ✓     |     | NE                  |
| Leguminosae   | <i>Acacia auriculiformis</i> Benth.              | T          |       | ✓   |       | ✓     | ✓   | LC                  |
| Leguminosae   | <i>Adenanthera malayana</i><br>Kostermans        | T          | ✓     |     |       |       |     | NE                  |
| Leguminosae   | <i>Albizia splendens</i> Miq.                    | T          | ✓     |     |       |       |     | NE                  |
| Leguminosae   | <i>Archidendron bubalinum</i>                    | T          | ✓     |     |       |       |     | NE                  |

| FAMILY      | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|-------------|---|------------|-------|-----|-------|-------|-----|---------------------|
|             | (Jack) IC Nielsen   |            |       |     |       |       |     |                     |
| Leguminosae | <i>Archidendron clypearia</i><br>(Jack) I.C.Nielsen                       | S          | √     |     |       | √     |     | NE                  |
| Leguminosae | <i>Archidendron clypearia</i> (Jack)<br>I.C.Nielsen ssp. <i>clypearia</i> | T          |       |     |       |       |     | NE                  |
| Leguminosae | <i>Archidendron kunstleri</i><br>(Prain) I.C.Nielsen                      | T          |       |     |       |       |     | NE                  |
| Leguminosae | <i>Caesalpinia crista</i> L.  | L          |       |     | √     |       |     | NE                  |
| Leguminosae | <i>Callerya atropurpurea</i><br>(Wall.) Schot                             | T          | √     | √   |       |       |     | NE                  |
| Leguminosae | <i>Canavalia cathartica</i> Thouars                                       | L          |       |     |       | √     |     | NE                  |
| Leguminosae | <i>Cynometra malaccensis</i><br>Meeuwen                                   | T          | √     |     |       |       |     | NE                  |
| Leguminosae | <i>Cynometra ramiflora</i> L.   | T          | √     |     |       | √     |     | NE                  |
| Leguminosae | <i>Dalbergia candenatensis</i><br>(Dennst.) Prain                         | L          | √     |     |       | √     |     | NE                  |
| Leguminosae | <i>Derris trifoliata</i> Lour.  | L          |       |     | √     |       |     | NE                  |
| Leguminosae | <i>Dialium indum</i> L. var. <i>indum</i>                                 | T          | √     |     |       |       |     | NE                  |
| Leguminosae | <i>Dialium platysepalum</i> Baker   | T          | √     |     |       |       |     | NE                  |
| Leguminosae | <i>Intsia palembanica</i> Miq.  | T          | √     |     |       |       |     | NE                  |
| Leguminosae | <i>Koompassia excelsa</i> (Becc.)<br>Taub.                                | T          | √     |     |       |       |     | NE                  |
| Leguminosae | <i>Koompassia malaccensis</i><br>Maing. ex Benth.                         | T          | √     |     |       |       |     | LC                  |
| Leguminosae | <i>Mimosa invisa</i> L.   | H          |       |     |       | √     | √   | NE                  |
| Leguminosae | <i>Mimosa pigra</i> L.  | H          |       | √   |       | √     | √   | NE                  |
| Leguminosae | <i>Mimosa pudica</i> L.   | H          |       | √   |       |       | √   | NE                  |
| Leguminosae | <i>Paraserianthes falcataria</i> (L.)<br>I.C.Nielsen                      | S          | √     |     |       |       |     | NE                  |

| FAMILY           | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|------------------|---|------------|-------|-----|-------|-------|-----|---------------------|
| Leguminosae      | <i>Parkia speciosa</i> Hassk.   | S          | ✓     | ✓   |       |       | ✓   | NE                  |
| Leguminosae      | <i>Pongamia pinnata</i> (L.) Pierre                                       | S          |       | ✓   | ✓     | ✓     |     | NE                  |
| Leguminosae      | <i>Saraca cauliflora</i> Baker  | T          | ✓     |     |       |       |     | NE                  |
| Leguminosae      | <i>Sindora coriacea</i> (Baker)<br>Maingay ex Prain                       | T          | ✓     |     |       |       |     | NE                  |
| Leguminosae      | <i>Sindora echinocalyx</i> (Benth.)<br>Prain                              | T          | ✓     |     |       |       |     | NE                  |
| Leguminosae      | <i>Spathoplobus ferrugineus</i> var.<br><i>ferrugineus</i>                | S          | ✓     |     |       |       |     | NE                  |
| Linderniaceae    | <i>Lindernia anagallis</i> (Burm.f.)<br>Pennell                           | H          |       |     |       |       | ✓   | LC                  |
| Loganiaceae      | <i>Strychnos ignatii</i> Berg.  | T          | ✓     |     |       |       |     | NE                  |
| Lomariopsidaceae | <i>Bolbitis heteroclita</i> (C.Presl)<br>Ching                            | T          | ✓     |     |       |       |     | NE                  |
| Loranthaceae     | <i>Dendrophthoe pentandra</i> (L.)<br>Miq.                                | T          | ✓     |     |       |       | ✓   | NE                  |
| Loranthaceae     | <i>Lepeostegeres beccarieii</i><br>(King) Gamble                          | T          |       | ✓   |       |       |     | NE                  |
| Lowiaceae        | <i>Orchidantha fimbriata</i><br>Holttum                                   | T          |       | ✓   |       |       |     | NE                  |
| Lycopodiaceae    | <i>Huperzia phlegmaria</i> (L.)<br>Rothm.                                 | T          |       | ✓   |       |       |     | NE                  |
| Maesaceae        | <i>Maesa ramentacea</i> Wall. ex<br>Roxb.                                 | T          | ✓     |     |       |       |     | NE                  |
| Magnoliaceae     | <i>Magnolia elegans</i> (Blume)<br>H.Keng                                 | T          | ✓     |     |       |       |     | NE                  |
| Magnoliaceae     | <i>Magnolia liliifera</i> Baill. var.<br><i>obovata</i> (Korth.) Govaerts | S          | ✓     |     |       |       |     | NE                  |
| Malvaceae        | <i>Abelmoschus esculentus</i> (L.)<br>Moench                              | S          |       |     |       |       | ✓   | NE                  |
| Malvaceae        | <i>Hibiscus tiliaceus</i> L.  | S          |       |     | ✓     |       |     | NE                  |

| FAMILY          | SPECIES                                       | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN CONSERVATIO |
|-----------------|---|------------|-------|-----|-------|-------|-----|------------------|
| Malvaceae       | <i>Hibiscus macrophyllus</i> Roxb. ex Hornem  | S          | √     | √   |       | √     |     | NE               |
| Marantaceae     | <i>Donax grandis</i> (Miq.) K.Schum.          | H          | √     | √   |       | √     |     | NE               |
| Marantaceae     | <i>Phrynium pubinerve</i> Blume               | T          | √     |     |       | √     |     | NE               |
| Melastomataceae | <i>Melastoma malabathricum</i> L.             | S          | √     |     |       | √     | √   | NE               |
| Melastomataceae | <i>Clidemia hirta</i> (L.) D.Don              | S          |       | √   |       |       | √   | NE               |
| Melastomataceae | <i>Oxyspora bullata</i> (Griff.) J.F.Maxwell  | S          |       |     |       |       | √   | NE               |
| Melastomataceae | <i>Pachycentria constricta</i> (Blume) Blume  | S          |       |     |       |       |     | NE               |
| Melastomataceae | <i>Phyllagathis rotundifolia</i> (Jack) Blume | S          | √     |     |       |       |     | NE               |
| Melastomataceae | <i>Pternandra coerulescens</i> Jack           | S          | √     |     |       |       |     | NE               |
| Melastomataceae | <i>Pternandra echinata</i> Jack               | S          |       | √   |       |       |     | NE               |
| Melastomataceae | <i>Sonerila barbata</i> Ridl.                 | S          |       |     |       |       | √   | NE               |
| Melastomataceae | <i>Sonerila obliqua</i> Korth.                | S          | √     |     |       |       | √   | NE               |
| Meliaceae       | <i>Aglaia forbesii</i> King                   | T          | √     |     |       |       |     | NE               |
| Meliaceae       | <i>Chisocheton ceramicus</i> (Miq.) DC.       | T          | √     | √   |       |       |     | NE               |
| Meliaceae       | <i>Chisocheton macrophyllus</i> King          | T          |       | √   |       |       |     | NE               |
| Meliaceae       | <i>Chisocheton patens</i> Blume               | T          |       | √   |       |       |     | NE               |
| Meliaceae       | <i>Dysoxylum cauliflorum</i> Hiern            | T          | √     |     |       |       |     | NE               |
| Meliaceae       | <i>Lansium domesticum</i> Corrêa              | T          | √     |     |       |       |     | NE               |
| Meliaceae       | <i>Sandoricum koetjape</i> (Burm.f.) Merr.    | T          | √     |     |       |       |     | NE               |
| Meliaceae       | <i>Xylocarpus granatum</i> J.Koenig           | T          |       |     | √     |       |     | NE               |
| Memecylaceae    | <i>Memecylon amplexicaule</i>                 | T          | √     |     |       |       |     | NE               |

| FAMILY       | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|--------------|--|------------|-------|-----|-------|-------|-----|---------------------|
|              | Roxb.  |            |       |     |       |       |     |                     |
| Memecylaceae | <i>Memecylon fruticosum</i> King   | T          | √     |     |       |       |     | NE                  |
| Memecylaceae | <i>Memecylon megacarpum</i> Furtado  | T          | √     |     |       |       |     | NE                  |
| Memecylaceae | <i>Memecylon minutiflorum</i> Miq.   | T          | √     |     |       |       |     | NE                  |
| Memecylaceae | <i>Memecylon paniculatum</i> Jack  | T          | √     |     |       |       |     | NE                  |
| Memecylaceae | <i>Memecylon pubescens</i> (C.B.Clarke) King                               | T          | √     |     |       |       |     | NE                  |
| Moraceae     | <i>Ficus microphylla</i> Salzm. ex Miq.                                    | T          | √     |     |       |       |     | NE                  |
| Moraceae     | <i>Ficus superba</i> Miq.  | T          |       |     | √     |       |     | NE                  |
| Moraceae     | <i>Artocarpus integer</i> (Thunb.) Merr. var. <i>silvestris</i> Corner     | T          | √     |     |       |       |     | NE                  |
| Moraceae     | <i>Artocarpus kemando</i> Miq.   | T          | √     |     |       |       | √   | NE                  |
| Moraceae     | <i>Artocarpus lanceifolius</i> Roxb.                                       | T          | √     | √   |       |       | √   | NE                  |
| Moraceae     | <i>Artocarpus nitidus</i> Trécul ssp. <i>griffithii</i> (King) F.M.Jarrett | T          | √     |     |       |       |     | NE                  |
| Moraceae     | <i>Artocarpus rigidus</i> Blume  | T          | √     |     |       |       |     | NE                  |
| Moraceae     | <i>Artocarpus scortechinii</i> King  | T          | √     |     |       |       |     | NE                  |
| Moraceae     | <i>Ficus deltoidea</i> Jack var. <i>deltoidea</i>                          | L          | √     | √   |       |       | √   | NE                  |
| Moraceae     | <i>Ficus fulva</i> Reinw. ex Blume   | T          |       | √   |       |       | √   | NE                  |
| Moraceae     | <i>Ficus glandulifera</i> (Wall. ex Miq.) King                             | T          |       |     |       | √     |     | NE                  |
| Moraceae     | <i>Ficus grossularioides</i> Burm.f. var. <i>grossularioides</i>           | T          | √     |     |       | √     |     | NE                  |
| Moraceae     | <i>Ficus hispida</i> L.f.  | T          | √     |     |       |       |     | NE                  |
| Moraceae     | <i>Ficus lepicarpa</i> Blume   | T          | √     |     |       |       |     | NE                  |

| FAMILY        | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN CONSERVATIO |
|---------------|---|------------|-------|-----|-------|-------|-----|------------------|
| Moraceae      | <i>Ficus obscura</i> Blume var. <i>borneensis</i> (Miq.) Corner | T          |       | ✓   |       | ✓     | ✓   | NE               |
| Moraceae      | <i>Ficus scortechinii</i> King                                  | T          |       |     |       |       | ✓   | NE               |
| Moraceae      | <i>Ficus variegata</i> Blume                                    | T          | ✓     | ✓   |       |       | ✓   | NE               |
| Moraceae      | <i>Ficus vasculosa</i> Wall. ex Miq.                            | T          | ✓     |     |       |       |     | NE               |
| Moraceae      | <i>Hullettia dumosa</i> King                                    | T          | ✓     |     |       |       |     | NE               |
| Moraceae      | <i>Streblus elongatus</i> (Miq.) Corner                         | T          | ✓     |     |       |       |     | NE               |
| Musaceae      | <i>Musa gracilis</i> Holttum                                    | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Gymnacranthera farquhariana</i> (Hook.f. & Thomson) Warb.    | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Gymnacranthera forbesii</i> (King) Warb.                     | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Horsfieldia polyspherula</i> (Hook.f. ex King) J.Sinclair    | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Horsfieldia superba</i> (Hookf & Thomson) Warb.              | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Knema curtisii</i> (King) Warb. var. <i>curtisii</i>         | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Knema furfuracea</i> (Hookf & Thomson) Warb.                 | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Knema hookeriana</i> (Wall. ex Hook.f. & Thomson) Warb.      | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Knema kunstleri</i> (King) Warb.                             | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Knema laurina</i> (Blume) Warb.                              | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Knema patentinervia</i> (J.Sinclair) W.J.de Wilde            | T          | ✓     |     |       |       |     | NE               |
| Myristicaceae | <i>Knema scortechinii</i> (King)                                | T          | ✓     |     |       |       |     | NE               |

| FAMILY        | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN | CONSERVATIO |
|---------------|---|------------|-------|-----|-------|-------|-----|------|-------------|
|               | J.Sinclair  |            |       |     |       |       |     |      |             |
| Myristicaceae | <i>Myristica cinnamomea</i> King                                    | T          | ✓     |     |       |       |     | NE   |             |
| Myristicaceae | <i>Myristica gigantea</i> King                                      | T          | ✓     |     |       |       |     | NE   |             |
| Myrsinaceae   | <i>Ardisia korthalsiana</i> Scheff.                                 | T          | ✓     |     |       |       |     | NE   |             |
| Myrsinaceae   | <i>Labisia pumila</i> (Blume) Fern.-Vill. var. <i>alata</i> Scheff. | H          | ✓     | ✓   |       |       |     | NE   |             |
| Myrtaceae     | <i>Melaleuca cajuputi</i> Powell                                    | T          | ✓     |     |       |       |     | NE   |             |
| Myrtaceae     | <i>Rhodamnia cinerea</i> Jack                                       | T          |       | ✓   |       |       |     | NE   |             |
| Myrtaceae     | <i>Rhodomyrtus tomentosa</i> (Aiton) Hassk.                         | T          | ✓     |     |       |       |     | NE   |             |
| Myrtaceae     | <i>Syzygium cerasiforme</i> (Blume) Merr. & L.M.Perry               | T          |       | ✓   |       |       |     | NE   |             |
| Myrtaceae     | <i>Syzygium cinereum</i> (Kurz) Chant. & J.Parn.                    | T          | ✓     |     |       |       |     | NE   |             |
| Myrtaceae     | <i>Syzygium filiforme</i> (Wall. ex Duthie) Chant.                  | T          | ✓     |     |       |       |     | NE   |             |
| Myrtaceae     | <i>Syzygium griffithii</i> (Duthie) Merr. & L.M.Perry               | T          | ✓     |     |       |       |     | NE   |             |
| Myrtaceae     | <i>Syzygium lineatum</i> (DC.) Merr. & L.M.Perry                    | T          | ✓     |     |       |       |     | NE   |             |
| Myrtaceae     | <i>Syzygium papillosum</i> (Duthie) Merr. & L.M.Perry               | T          |       | ✓   |       | ✓     |     | NE   |             |
| Myrtaceae     | <i>Syzygium polyanthum</i> (Wight) Walp. var. <i>polyanthum</i>     | T          |       | ✓   |       |       |     | NE   |             |
| Myrtaceae     | <i>Syzygium pseudocrenulatum</i> (M.R.Hend.) I.M.Turner             | T          |       |     |       | ✓     |     | NE   |             |
| Myrtaceae     | <i>Syzygium ridleyi</i> (King) Chant. & J.Parn.                     | T          | ✓     |     |       |       |     | NE   |             |
| Myrtaceae     | <i>Syzygium zeylanicum</i> (L.)DC.                                  | T          | ✓     | ✓   |       |       |     | NE   |             |
| Myrtaceae     | <i>Tristaniopsis merguensis</i> (Griff.) P.G.Wilson &               | T          | ✓     |     |       |       |     | NE   |             |

| FAMILY           | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN CONSERVATIO |
|------------------|--|------------|-------|-----|-------|-------|-----|------------------|
|                  | J.T.Waterh.  |            |       |     |       |       |     |                  |
| Nepenthaceae     | <i>Nepenthes gracilis</i> Jack                                   | H          | √     |     |       |       | √   | NE               |
| Nephrolepidaceae | <i>Nephrolepis auriculata</i> (L.) Trimen                        | H          |       | √   |       | √     | √   | NE               |
| Nymphaeaceae     | <i>Barclaya motleyi</i> Hook.f.                                  | H          |       | √   |       | √     |     | NE               |
| Nymphaeaceae     | <i>Nymphaea alba</i> L.  | H          |       |     |       |       | √   | NE               |
| Ochnaceae        | <i>Brackenridgea hookeri</i> (Planch.) A.Gray                    | S          | √     |     |       |       |     | NE               |
| Ochnaceae        | <i>Campylospermum serratum</i> (Gaertn.) Bittrich & M.C.E.Amaral | S          | √     |     |       |       |     | NE               |
| Ochnaceae        | <i>Sauvagesia serrata</i> (Korth.) Sastre                        | S          | √     |     |       |       |     | NE               |
| Olacaceae        | <i>Ochanostachys amentacea</i> Mast.                             | T          | √     |     |       |       |     | NE               |
| Olacaceae        | <i>Scorodocarpus borneensis</i> (Baill.) Becc.                   | T          | √     |     |       |       |     | NE               |
| Olacaceae        | <i>Strombosia javanica</i> Blume                                 | T          | √     |     |       | √     |     | NE               |
| Ophioglossaceae  | <i>Helminthostachys zeylanica</i> (L.) Hook.                     | T          | √     |     |       |       |     | NE               |
| Opiliaceae       | <i>Champereia manillana</i> (Blume) Merr.                        | T          | √     |     |       | √     | √   | NE               |
| Orchidaceae      | <i>Coelogyne cumingii</i> Lindl.                                 | H          |       | √   |       |       |     | NE               |
| Orchidaceae      | <i>Dendrobium indivisum</i> (Blume) Miq.                         | H          |       | √   |       |       |     | NE               |
| Orchidaceae      | <i>Dendrobium rhodostele</i> Ridl.                               | H          | √     |     |       |       |     | NE               |
| Orchidaceae      | <i>Eria atrovinosa</i> Carr                                      | H          | √     |     |       |       |     | NE               |
| Oxalidaceae      | <i>Sarcotheca laxa</i> (Ridl.) Kunth                             | H          | √     |     |       |       | √   | NE               |
| Oxalidaceae      | <i>Sarcotheca griffithii</i> (Planch. ex Hook.f.) Hallier f.     | S          | √     |     |       |       |     | NE               |

| FAMILY      | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|-------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Oxalidaceae | <i>Sarcotheca laxa</i> (Ridl.) Kunth var. <i>laxa</i>                        | S          | √     |     |       |       |     | NE                  |
| Palmae      | <i>Calamus castaneus</i> Griff.  | P          | √     | √   |       |       |     | NE                  |
| Palmae      | <i>Caryota mitis</i> Lour.   | P          | √     |     |       | √     | √   | NE                  |
| Palmae      | <i>Cocos nucifera</i> L.   | P          |       |     |       |       | √   | NE                  |
| Palmae      | <i>Daemonorops geniculata</i> (Griff.) Mart.                                 | P          | √     | √   |       | √     |     | NE                  |
| Palmae      | <i>Daemonorops verticillaris</i> (Griff.) Mart.                              | P          | √     |     |       | √     |     | NE                  |
| Palmae      | <i>Eleiodoxa conferta</i> (Griff.) Burret                                    | P          |       | √   |       | √     | √   | NE                  |
| Palmae      | <i>Elaeis guineensis</i> Jack.   | P          |       |     |       |       | √   | NE                  |
| Palmae      | <i>Eugeissona brachystachys</i> Ridl.  | P          | √     | √   |       |       |     | NE                  |
| Palmae      | <i>Eugeissona tristis</i> Griff.   | P          | √     |     |       | √     |     | NE                  |
| Palmae      | <i>Iguanura wallichiana</i> (Wall. ex Mart.) Hook.f. var. <i>major</i> Becc. | P          | √     |     |       | √     |     | NE                  |
| Palmae      | <i>Johannesteijsmannia altifrons</i> (Rchb.f. & Zoll.) H.E.Moore             | P          | √     |     |       |       |     | NE                  |
| Palmae      | <i>Licuala bayana</i> Saw  | P          | √     |     |       |       |     | NE                  |
| Palmae      | <i>Licuala fractiflexa</i> Saw   | P          |       | √   |       |       |     | NE                  |
| Palmae      | <i>Licuala khoonmengii</i> Saw   | P          | √     |     |       |       |     | NE                  |
| Palmae      | <i>Nenga macrocarpa</i> Scort. ex Becc.                                      | P          | √     | √   |       |       |     | NE                  |
| Palmae      | <i>Nypa fruticans</i> Wurmb  | P          |       | √   | √     |       |     | NE                  |
| Palmae      | <i>Oncosperma horridum</i> Scheff.   | P          | √     | √   |       |       |     | NE                  |
| Palmae      | <i>Oncosperma tigillarium</i> (Jack) Ridl.                                   | P          | √     |     |       | √     |     | NE                  |
| Palmae      | <i>Pholidocarpus kingianus</i>   | P          | √     |     |       |       |     | NE                  |

| FAMILY             | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN CONSERVATIO |
|--------------------|---|------------|-------|-----|-------|-------|-----|------------------|
|                    | (Becc.) Ridl.   |            |       |     |       |       |     |                  |
| Palmae             | <i>Pinanga auriculata</i> Becc. var. <i>leucocarpa</i> C.K.Lim    | P          | ✓     |     |       |       |     | NE               |
| Palmae             | <i>Pinanga beccariana</i> Furtado                                 | P          | ✓     |     |       |       |     | NE               |
| Palmae             | <i>Pinanga disticha</i> (Roxb.) Blume ex H.Wendl.                 | P          | ✓     |     |       | ✓     |     | NE               |
| Palmae             | <i>Pinanga glaucescens</i> Ridl.                                  | P          | ✓     |     |       |       |     | NE               |
| Palmae             | <i>Pinanga limosa</i> Ridl.                                       | P          | ✓     |     |       |       |     | NE               |
| Palmae             | <i>Pinanga malaiana</i> (Mart.) Scheff.                           | P          | ✓     | ✓   |       | ✓     |     | NE               |
| Palmae             | <i>Pinanga scorechinii</i> Becc.                                  | P          | ✓     |     |       |       |     | NE               |
| Palmae             | <i>Pinanga simplicifrons</i> (Miq.) Becc.                         | P          | ✓     |     |       |       |     | NE               |
| Pandaceae          | <i>Galearia fulva</i> (Tul.) Miq.                                 | T          | ✓     |     |       |       |     | NE               |
| Pandaceae          | <i>Microdesmis caseariifolia</i> Planch.                          | S          | ✓     |     |       |       |     | NE               |
| Pandanaceae        | <i>Pandanus atrocarpus</i> Griff.                                 | H          |       |     |       | ✓     |     | NE               |
| Pandanaceae        | <i>Pandanus helicopus</i> Kurz ex Miq.                            | H          | ✓     |     |       |       |     | NE               |
| Pandanaceae        | <i>Pandanus odorifer</i> (Forssk.) Kuntze                         | H          |       |     | ✓     |       |     | NE               |
| Passifloraceae     | <i>Paropsia vareciformis</i> (Griff.) Mast.                       | H          | ✓     |     |       |       |     | NE               |
| Passifloraceae     | <i>Passiflora foetida</i> L.                                      | H          |       |     | ✓     |       |     | NE               |
| Passifloraceae     | <i>Paropsia vareciformis</i> (Griff.) Mast.                       | S          | ✓     |     |       | ✓     |     | NE               |
| Pentaphragmataceae | <i>Pentaphragma ellipticum</i> A.D.Poulsen var. <i>ellipticum</i> | H          |       |     |       | ✓     |     | NE               |
| Phyllanthaceae     | <i>Antidesma cuspidatum</i> Müll.Arg.                             | T          | ✓     |     |       |       |     | NE               |
| Phyllanthaceae     | <i>Antidesma ghaesembilla</i>                                     | T          | ✓     |     |       |       |     | NE               |

| FAMILY         | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|----------------|---|------------|-------|-----|-------|-------|-----|---------------------|
|                | Gaertn.   |            |       |     |       |       |     |                     |
| Phyllanthaceae | <i>Aporosa arborea</i> (Blume)<br>Müll.Arg.             | T          | ✓     |     |       |       |     | NE                  |
| Phyllanthaceae | <i>Aporosa aurea</i> Hook.f.                            | T          | ✓     |     |       |       |     | NE                  |
| Phyllanthaceae | <i>Aporosa bracteosa</i> Pax &<br>K.Hoffm.              | T          | ✓     |     |       |       |     | NE                  |
| Phyllanthaceae | <i>Aporosa falcifera</i> Hook.f.                        | T          | ✓     |     |       |       |     | NE                  |
| Phyllanthaceae | <i>Aporosa globifera</i> Hook.f.                        | T          | ✓     |     |       |       |     | NE                  |
| Phyllanthaceae | <i>Aporosa microstachya</i> (Tul.)<br>Müll.Arg.         | T          | ✓     |     |       |       |     | NE                  |
| Phyllanthaceae | <i>Aporosa miqueliana</i><br>Müll.Arg.                  | T          | ✓     |     |       |       |     | NE                  |
| Phyllanthaceae | <i>Aporosa nigricans</i> Hook.f.                        | T          | ✓     |     |       |       |     | NE                  |
| Phyllanthaceae | <i>Aporosa prainiana</i> King ex<br>Gage                | T          | ✓     |     |       |       |     | NE                  |
| Phyllanthaceae | <i>Breynia vitis-idaea</i> (Burm.f.)<br>C.E.C.Fisch.    | S          | ✓     |     |       |       |     | NE                  |
| Phyllanthaceae | <i>Glochidion littorale</i> Blume                       | T          |       |     | ✓     |       |     | NE                  |
| Polygalaceae   | <i>Xanthophyllum affine</i> Korth. ex<br>Miq.           | T          | ✓     |     |       |       |     | NE                  |
| Polygalaceae   | <i>Xanthophyllum eurhynchum</i><br>Miq. ssp. eurhynchum | T          | ✓     |     |       |       |     | NE                  |
| Polygalaceae   | <i>Xanthophyllum griffithii</i><br>Hook.f. ex A.W.Benn. | T          | ✓     |     |       |       |     | NE                  |
| Polygalaceae   | <i>Xanthophyllum rufum</i> Benn.                        | T          | ✓     |     |       |       |     | NE                  |
| Polygalaceae   | <i>Xanthophyllum wrayi</i> King                         | T          | ✓     |     |       |       |     | NE                  |
| Polypodiaceae  | <i>Pyrrosia angustata</i> (Sw.) Ching                   | F          | ✓     |     |       |       |     | NE                  |
| Primulaceae    | <i>Ardisia tumida</i> Furtado                           | S          | ✓     |     | ✓     |       |     | NE                  |
| Proteaceae     | <i>Helicia attenuata</i> (Jack) Blume                   | S          |       | ✓   |       |       | ✓   | NE                  |

| FAMILY         | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|----------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Pteridaceae    | <i>Acrostichum speciosum</i> Willd.                        | F          |       | ✓   |       |       |     | NE                  |
| Pteridaceae    | <i>Pteris ensiformis</i> Burm f.                           | F          |       |     |       | ✓     |     | NE                  |
| Rhizophoraceae | <i>Bruguiera cylindrica</i> (L.) Blume                     | T          |       |     | ✓     |       |     | NE                  |
| Rhizophoraceae | <i>Bruguiera gymnorhiza</i> (L.) Lam.                      | T          |       |     | ✓     |       |     | NE                  |
| Rhizophoraceae | <i>Bruguiera parviflora</i> (Roxb.) Wight & Arn. ex Griff. | T          |       |     | ✓     |       |     | NE                  |
| Rhizophoraceae | <i>Bruguiera sexangula</i> (Lour.) Poir.                   | T          |       |     | ✓     |       |     | NE                  |
| Rhizophoraceae | <i>Ceriops tagal</i> (Perr.) C.B.Rob.                      | T          |       |     | ✓     |       |     | NE                  |
| Rhizophoraceae | <i>Kandelia candel</i> (L.) Druce                          | T          |       | ✓   |       |       |     | NE                  |
| Rhizophoraceae | <i>Rhizophora apiculata</i> Blume                          | T          |       |     | ✓     |       |     | NE                  |
| Rhizophoraceae | <i>Gynotroches axillaris</i> Blume                         | T          | ✓     |     |       |       |     | NE                  |
| Rhizophoraceae | <i>Pellacalyx axillaris</i> Korth.                         | T          | ✓     |     |       |       |     | NE                  |
| Rosaceae       | <i>Prunus javanica</i> (Teijsm. & Binn.) Miq.              | T          | ✓     |     |       |       |     | NE                  |
| Rosaceae       | <i>Prunus polystachya</i> (Hook.f.) Kalkman                | T          | ✓     |     |       |       |     | NE                  |
| Rosaceae       | <i>Rubus moluccanus</i> L. var. moluccanus                 | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae      | <i>Aidia densiflora</i> (Wall.) Masam.                     | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae      | <i>Argostemma yappii</i> King                              | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae      | <i>Canthium foetidum</i> Hiern                             | L          | ✓     |     | ✓     |       |     | NE                  |
| Rubiaceae      | <i>Diplospora malaccense</i> Hook.f.                       | T          | ✓     |     |       |       |     | NE                  |
| Rubiaceae      | <i>Gardenia tubifera</i> Wall. var. <i>tubifera</i>        | T          | ✓     |     |       |       |     | NE                  |

| FAMILY    | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|-----------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Rubiaceae | <i>Gardeniopsis longifolia</i> Miq.                              | T          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Greenea corymbosa</i> (Jack) K.Schum.                         | T          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Gynochthodes sublanceolata</i> Miq.                           | L          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Hedyotis capitellata</i> Wall. ex G. Don                      | T          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Ixora concinna</i> Hook.f.                                    | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Ixora kingstoni</i> Hook.f.                                   | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Ixora scortechinii</i> King & Gamble var. <i>scortechinii</i> | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Ixora umbellata</i> Koord & Valeton var. <i>umbellata</i>     | S          | ✓     |     |       | ✓     |     | NE                  |
| Rubiaceae | <i>Jackiopsis ornata</i> (Wall.) Ridsdale                        | T          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Lasianthus constrictus</i> Wight                              | T          | ✓     | ✓   |       |       |     | NE                  |
| Rubiaceae | <i>Metadina trichotoma</i> (Zoll. & Moritzi) Bakh.f.             | T          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Morinda citrifolia</i> L.                                     | S          | ✓     |     | ✓     |       |     | NE                  |
| Rubiaceae | <i>Morinda elliptica</i> L.                                      | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Morinda umbellata</i> L.                                      | L          | ✓     |     |       |       |     | NE                  |
| Rubiaceae | <i>Mussaenda glabra</i> Vahl                                     | S          | ✓     | ✓   |       | ✓     |     | NE                  |
| Rubiaceae | <i>Nauclea officinalis</i> (Pierre ex Pit.) Merr. & Chun         | S          |       | ✓   |       | ✓     |     | NE                  |
| Rubiaceae | <i>Neolamarckia cadamba</i> (Roxb.) Bosser                       | S          |       | ✓   |       | ✓     |     | NE                  |
| Rubiaceae | <i>Oxyceros longiflorus</i> (Lam.) T.Yamaz.                      | S          |       |     | ✓     |       |     | NE                  |
| Rubiaceae | <i>Paederia foetida</i> L.                                       | L          | ✓     |     |       | ✓     |     | NE                  |
| Rubiaceae | <i>Pertusadina eurhyncha</i> (Miq.) Ridsdale                     | T          | ✓     |     |       |       |     | NE                  |

| FAMILY      | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|-------------|--|------------|-------|-----|-------|-------|-----|---------------------|
| Rubiaceae   | <i>Porterandia anisophyllea</i> (Jack ex Roxb.) Ridl.          | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae   | <i>Prismatomeris glabra</i> (Korth.) Valeton                   | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae   | <i>Psychotria griffithii</i> Hook.f.                           | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae   | <i>Psychotria malayana</i> Jack                                | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae   | <i>Psydrax nitidum</i> (Craib) K.M.Wong                        | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae   | <i>Saprosma glomerulata</i> King & Gamble                      | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae   | <i>Saprosma scortechinii</i> King & Gamble                     | S          | ✓     |     |       |       |     | NE                  |
| Rubiaceae   | <i>Scyphiphora hydrophylacea</i> C.F.Gaertn.                   | S          | ✓     |     | ✓     |       |     | NE                  |
| Rubiaceae   | <i>Tarenna mollis</i> (Wall. ex Hook.f.) B.L.Rob.              | T          | ✓     |     |       |       |     | NE                  |
| Rubiaceae   | <i>Timonius flavesiensis</i> (Jack) Baker                      | T          | ✓     |     |       |       | ✓   | NE                  |
| Rubiaceae   | <i>Timonius wallichianus</i> (Korth.) Valeton                  | T          | ✓     |     |       |       |     | NE                  |
| Rubiaceae   | <i>Urophyllum glabrum</i> Wall.                                | T          | ✓     |     |       |       | ✓   | NE                  |
| Rutaceae    | <i>Melicope lunu-ankenda</i> (Gaertn.) T.G. Hartley            | T          | ✓     |     |       | ✓     |     | NE                  |
| Rutaceae    | <i>Glycosmis chlorosperma</i> Spreng. var. <i>chlorosperma</i> | T          | ✓     |     |       |       |     | NE                  |
| utaceae     | <i>Maclurodendron porteri</i> (Hook.f.) T.G.Hartley            | T          | ✓     |     |       |       |     | NE                  |
| Rutaceae    | <i>Melicope glabra</i> (Blume) T.G.Hartley                     | T          | ✓     |     |       |       |     | NE                  |
| Sapindaceae | <i>Allophylus cobbe</i> (L.) Raeusch.                          | T          | ✓     |     | ✓     |       |     | NE                  |
| Sapindaceae | <i>Guioa pleuroptera</i> (Blume)                               | T          | ✓     |     | ✓     |       |     | NE                  |

| FAMILY          | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|-----------------|---|------------|-------|-----|-------|-------|-----|---------------------|
|                 | Radlk.  |            |       |     |       |       |     |                     |
| Sapindaceae     | <i>Lepisanthes rubiginosa</i> (Roxb.) Leenh.                            | T          | ✓     |     |       |       |     | NE                  |
| Sapindaceae     | <i>Lepisanthes tetraphylla</i> (Vahl) Radlk.                            | T          | ✓     |     |       |       |     | NE                  |
| Sapindaceae     | <i>Nephelium costatum</i> Hiern.  | T          | ✓     |     |       |       |     | NE                  |
| Sapindaceae     | <i>Nephelium cuspidatum</i> Blume var. <i>eriopetalum</i> (Miq.) Leenh. | T          | ✓     |     |       |       |     | NE                  |
| Sapindaceae     | <i>Nephelium maingayi</i> Hiern.  | T          | ✓     |     |       |       |     | NE                  |
| Sapindaceae     | <i>Pometia pinnata</i> J.R.Forst. & G.Forst.                            | T          | ✓     |     |       | ✓     |     | NE                  |
| Sapindaceae     | <i>Xerospermum noronhianum</i> (Blume) Blume                            | T          | ✓     |     |       |       |     | NE                  |
| Sapotaceae      | <i>Palaquium gutta</i> (Hook.f.) Baill.                                 | T          | ✓     |     |       |       |     | NE                  |
| Sapotaceae      | <i>Palaquium hexandrum</i> (Griff.) Baill.                              | T          | ✓     |     |       |       |     | NE                  |
| Sapotaceae      | <i>Palaquium leiocarpum</i> Boerl.                                      | T          | ✓     |     |       |       |     | NE                  |
| Sapotaceae      | <i>Palaquium maingayi</i> (C.B.Clarke) King & Gamble                    | T          | ✓     |     |       |       |     | NE                  |
| Sapotaceae      | <i>Palaquium rostratum</i> (Miq.) Burck                                 | T          | ✓     |     |       |       |     | NE                  |
| Sapotaceae      | <i>Pouteria malaccensis</i> (C.B.Clarke) Baehni                         | T          | ✓     |     |       |       |     | NE                  |
| Sapotaceae      | <i>Pouteria ramiflora</i> (Mart.) Radlk.                                | T          | ✓     |     |       |       |     | NE                  |
| Schizaeaceae    | <i>Lygodium flexuosum</i> (L.) Sw.                                      | F          |       | ✓   |       | ✓     | ✓   | NE                  |
| Selaginellaceae | <i>Selaginella willdenowii</i> (Desv) Baker                             | F          | ✓     | ✓   |       |       |     | NE                  |
| Selaginellaceae | <i>Selaginella intermedia</i> (Blume) Spring var.                       | F          | ✓     | ✓   |       |       |     | NE                  |

| FAMILY         | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|----------------|--|------------|-------|-----|-------|-------|-----|---------------------|
|                | intermedia   |            |       |     |       |       |     |                     |
| Simaroubaceae  | <i>Eurycoma longifolia</i> Jack                    | S          | ✓     |     |       | ✓     |     | NE                  |
| Smilacaceae    | <i>Smilax setosa</i> Miq.                          | L          | ✓     |     |       |       |     | NE                  |
| Solanaceae     | <i>Solanum melongena</i> L.                        | S          |       |     |       |       | ✓   | NE                  |
| Sonneratiaceae | <i>Sonneratia alba</i> Sm.                         | T          |       |     | ✓     |       |     | NE                  |
| Sonneratiaceae | <i>Sonneratia caseolaris</i> (L.) Engl.            | T          |       |     | ✓     |       |     | NE                  |
| Stemonuraceae  | <i>Stemonurus malaccensis</i> (Mast.) Sleumer      | T          | ✓     |     |       |       |     | NE                  |
| Stemonuraceae  | <i>Stemonurus scorpioides</i> Becc.                | T          | ✓     |     |       |       |     | NE                  |
| Sterculiaceae  | <i>Commersonia bartramia</i> (L.) Merr.            | T          | ✓     |     |       |       |     | NE                  |
| Sterculiaceae  | <i>Heritiera javanica</i> (Blume) Kostermans       | T          | ✓     |     |       |       |     | NE                  |
| Sterculiaceae  | <i>Heritiera simplicifolia</i> (Mast.) Kostermans  | T          | ✓     |     |       |       |     | NE                  |
| Sterculiaceae  | <i>Leptonychia caudata</i> (Wall. ex G.Don) Burret | T          | ✓     |     |       |       |     | NE                  |
| Sterculiaceae  | <i>Pterospermum javanicum</i> Jungh.               | T          | ✓     |     |       | ✓     |     | NE                  |
| Sterculiaceae  | <i>Scaphium linearicarpum</i> (Mast.) Pierre       | T          | ✓     |     |       |       |     | NE                  |
| Sterculiaceae  | <i>Scaphium macropodum</i> (Miq.) Beumée ex Heyne  | T          | ✓     |     |       |       |     | NE                  |
| Sterculiaceae  | <i>Sterculia coccinea</i> Jack                     | T          | ✓     |     |       | ✓     |     | NE                  |
| Sterculiaceae  | <i>Sterculia parvifolia</i> Wall. ex R.Br.         | T          | ✓     |     |       | ✓     |     | LC                  |
| Sterculiaceae  | <i>Sterculia rubiginosa</i> Vent.                  | T          |       |     |       | ✓     |     | NE                  |
| Styracaceae    | <i>Styrax benzoin</i> Dryand. var. <i>benzoin</i>  | T          | ✓     | ✓   |       |       |     | NE                  |
| Symplocaceae   | <i>Symplocos crassipes</i>                         | T          |       | ✓   |       |       |     | NE                  |

| FAMILY           | SPECIES  | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|------------------|--|------------|-------|-----|-------|-------|-----|---------------------|
|                  | <i>C.B.Clarke var. curtisii</i><br>(Oliv.) Noot.                   |            |       |     |       |       |     |                     |
| Taccaceae        | <i>Tacca integrifolia</i> Ker Gawl.                                | H          | ✓     |     |       |       |     | NE                  |
| Tectariaceae     | <i>Pleocnemia irregularis</i> (C. Presl)<br>Holttum                | F          |       |     |       | ✓     |     | NE                  |
| Ternstroemiaceae | <i>Eurya acuminata</i> DC.   | S          | ✓     |     |       |       |     | NE                  |
| Thaceae          | <i>Adinandra corneriana</i><br>Kobuski                             | T          | ✓     |     |       |       |     | NE                  |
| Theaceae         | <i>Pyrenaria acuminata</i> Planch.                                 | T          | ✓     |     |       |       |     | NE                  |
| Thelypteridaceae | <i>Pronephrium rubicundum</i><br>(Alderw.) Holttum                 | F          | ✓     |     |       |       |     | NE                  |
| Thymelaeaceae    | <i>Aquilaria hirta</i> Ridl.                                       | T          | ✓     |     |       |       |     | NE                  |
| Thymelaeaceae    | <i>Aquilaria malaccensis</i> Lam.                                  | T          | ✓     |     |       |       |     | NE                  |
| Thymelaeaceae    | <i>Gonystylus brunnescens</i> Airy<br>Shaw                         | T          | ✓     |     |       |       |     | NE                  |
| Thymelaeaceae    | <i>Gonystylus confusus</i> Airy<br>Shaw                            | T          | ✓     |     |       |       |     | NE                  |
| Tiliaceae        | <i>Microcos fibrocarpa</i> (Mast.)<br>Burret                       | T          | ✓     |     |       |       |     | NE                  |
| Tiliaceae        | <i>Microcos lanceolata</i> (Miq.)<br>Burret                        | T          | ✓     |     |       |       |     | NE                  |
| Tiliaceae        | <i>Microcos latifolia</i> Burret                                   | T          | ✓     |     |       |       |     | NE                  |
| Tiliaceae        | <i>Microcos tomentosa</i> Sm.                                      | T          | ✓     |     |       | ✓     | ✓   | NE                  |
| Tiliaceae        | <i>Pentace adenophora</i><br>Kostermans                            | T          | ✓     |     |       |       |     | NE                  |
| Tiliaceae        | <i>Pentace floribunda</i> King                                     | T          | ✓     |     |       | ✓     |     | NE                  |
| Tiliaceae        | <i>Pentace strychnoidea</i> King                                   | T          | ✓     |     |       |       |     | NE                  |
| Tiliaceae        | <i>Pentace triptera</i> Mast.                                      | T          | ✓     |     |       |       |     | NE                  |
| Tiliaceae        | <i>Schoutenia accrescens</i> (Mast.)<br>C.H.Curtis ssp. accrescens | T          | ✓     |     |       |       |     | NE                  |

| FAMILY          | SPECIES   | Plant Type | WC-FR | RPR | MF-BF | FLD-P | AGR | IUCN<br>CONSERVATIO |
|-----------------|---|------------|-------|-----|-------|-------|-----|---------------------|
| Torricelliaceae | <i>Aralidium pinnatifidum</i> Miq.              | T          | ✓     |     |       |       |     | NE                  |
| Trigoniaceae    | <i>Trigoniastrum hypoleucum</i> Miq.            | T          | ✓     |     |       |       |     | NE                  |
| Ulmaceae        | <i>Gironniera nervosa</i> Planch.               | T          | ✓     |     |       |       | ✓   | NE                  |
| Ulmaceae        | <i>Gironniera parvifolia</i> Planch.            | T          | ✓     | ✓   |       | ✓     |     | NE                  |
| Ulmaceae        | <i>Gironniera subaequalis</i> Planch.           | T          | ✓     |     |       |       |     | NE                  |
| Ulmaceae        | <i>Trema cannabina</i> Lour.                    | T          | ✓     |     |       |       |     | NE                  |
| Ulmaceae        | <i>Trema tomentosa</i> (Roxb.) Hara             | T          | ✓     | ✓   |       |       |     | NE                  |
| Urticaceae      | <i>Poikilospermum suaveolens</i> (Blume) Merr.  | T          | ✓     | ✓   |       |       | ✓   | NE                  |
| Verbenaceae     | <i>Clerodendrum inerme</i> (L.) Gaertn.         | T          | ✓     |     | ✓     |       |     | NE                  |
| Verbenaceae     | <i>Lantana camara</i> L.                        | S          |       | ✓   |       |       | ✓   | NE                  |
| Verbenaceae     | <i>Stachytarpheta indica</i> (L.) Vahl          | T          | ✓     |     |       |       |     | NE                  |
| Violaceae       | <i>Rinorea anguifera</i> (Lour.) Kuntze         | T          | ✓     |     |       |       |     | NE                  |
| Violaceae       | <i>Rinorea longiracemosa</i> (Kurz) Craib       | T          | ✓     |     |       |       |     | NE                  |
| Zingiberaceae   | <i>Boesenbergia prainiana</i> (Baker) Schltr.   | H          | ✓     |     |       |       |     | NE                  |
| Zingiberaceae   | <i>Camptandra parvula</i> (King ex Baker) Ridl. | H          | ✓     |     |       | ✓     |     | NE                  |
| Zingiberaceae   | <i>Etlingera punicea</i> (Roxb.) R.M.Sm.        | H          | ✓     |     |       |       |     | NE                  |
| Zingiberaceae   | <i>Globba corneri</i> A.Weber                   | H          | ✓     | ✓   |       | ✓     |     | NE                  |
| Zingiberaceae   | <i>Scaphochlamys atroviridis</i> Holttum        | H          | ✓     |     |       | ✓     |     | NE                  |
| Zingiberaceae   | <i>Scaphochlamys breviscapa</i>                 | H          | ✓     |     |       |       |     | NE                  |

| <b>FAMILY</b> | <b>SPECIES</b>                                    | <b>Plant Type</b> | <b>WC-FR</b> | <b>RPR</b> | <b>MF-BF</b> | <b>FLD-P</b> | <b>AGR</b> | <b>IUCN</b> | <b>CONSERVATIO</b> |
|---------------|---|-------------------|--------------|------------|--------------|--------------|------------|-------------|--------------------|
|               | Holttum   |                   |              |            |              |              |            |             |                    |
| Zingiberaceae | <i>Scaphochlamys kunstleri</i><br>(Baker) Holttum | H                 | ✓            |            |              |              |            | NE          |                    |
| Zingiberaceae | <i>Zingiber puberulum</i> Ridl.                   | H                 | ✓            |            |              | ✓            | ✓          | NE          |                    |