

LIST OF FIGURES

Figure 1.1	Regional Location of Project site
Figure 1.2	Aerial Image of the Project site
Figure 1.3a	Layout of Existing Secure Landfill and Areas Demarcated for DSF 2, DSF 3, DSF 4 and DSF 5.
Figure 1.3b	Layout of Existing Secure Landfill and Areas Demarcated for DSF 2, DSF 3, DSF 4 and DSF 5.
Figure 4.1	Locations of Current Geotubes and NUF DSF 1
Figure 5.1	Coordinates of the Proposed Secure Landfill Facilities and the Existing LAMP site
Figure 5.2a	The LAMP Site Layout Plan
Figure 5.2b	Block Flow Diagram of Overall LAMP Process
Figure 5.2c	Mass Balance of Overall LAMP Process
Figure 5.3	Block Flow Diagram of Cracking and Separation Plant
Figure 5.4	Block Flow Diagram of Waste Gas Treatment Plant
Figure 5.5	Block Flow Diagram of Solvent Extraction Plant
Figure 5.6	Block Flow Diagram of Product Finishing Plant
Figure 5.7a	NUF Contour Step 1 Construction
Figure 5.7b	NUF Contour Step 2 Construction
Figure 5.7c	NUF Contour Step 3 Construction
Figure 5.7d	NUF Contour Step 4 Construction
Figure 5.7e	NUF Contour Step 5 Construction
Figure 5.8	Location of Proposed NUF DSF 1 & NUF DSF 2 within the Existing LAMP siteS
Figure 5.9	Proposed Secure Landfill's Cross Section
Figure 5.10a	Schematics of ULLD Trench
Figure 5.10b	Collection Sump Section and Details
Figure 5.11a	Schematics GCL and HDPE Liner Coverage (1)
Figure 5.11b	Schematics GCL and HDPE Liner Coverage (2)
Figure 5.12a	Cross-section of New Bund No.1 (2-meter height)
Figure 5.12b	Cross-section of New Bund No.2 (1.5-meter height)
Figure 5.12c	Cross-section of New Bund No.3 (1.5-meter height)
Figure 5.13	Cross-section of a Typical Access Road along the Proposed Secure Landfill
Figure 5.14	Contour Design of the Proposed Secure Landfill
Figure 5.15	Traffic Flow of NUF Residue to NUF Secure Landfill
Figure 5.16	Schematics of Surface Water Management at the Proposed Secure Landfill
Figure 5.17	The BFD and Mass Balance of the Proposed Secure Landfill's IETS

Figure 5.18	Location of the Sump Pumps Serving the NUF DSF 2
Figure 5.19	Product Trials involving CondiSoil as Ameliorant of Poor Soil Condition in Agriculture
Figure 5.20	Existing Road network Leading to LAMP
Figure 5.21a	Overall Project Implementation Schedule
Figure 5.21b	NUF DSF 2 Project Implementation Schedule
Figure 6.1	River System in Balok Catchment area
Figure 6.2	Hydrogeological Map within the State of Pahang
Figure 6.2a	Groundwater Flow Around the Project site
Figure 6.3	Geological Map of the Project site
Figure 6.4	Reconnaissance Soil Map of Peninsular Malaysia
Figure 6.5	Boreholes Locations within the Project site
Figure 6.6	Columnar Sections of Boreholes
Figure 6.7	Hydro-stratigraphic Soil Formation within the Project Site
Figure 6.8	Temperature and Relative Humidity Profile of the Project Site
Figure 6.9	Rainfall Pattern of the Project Site
Figure 6.10	Monthly Surface Wind Speed of the Project site
Figure 6.11	Map on Risk of Natural Disaster Area in Peninsular Malaysia
Figure 6.12	Percentile of Different Level ESAs present within the Project Site
Figure 6.13	Surrounding Land Use within a 5 – km ZOI
Figure 6.14	Land Use Zoning of the Project site
Figure 6.15a	Ambient Air Quality, Noise, Water Quality And Groundwater Quality Baseline Monitoring Locations
Figure 6.15b	Ambient Air Quality, Noise, Water Quality And Groundwater Quality Baseline Monitoring Locations
Figure 6.16	PM ₁₀ Trend Line
Figure 6.17	SO ₂ Trend Line
Figure 6.18	NO ₂ Trend Line
Figure 6.19	CO Trend Line
Figure 6.20	CO ₂ Trend Line
Figure 6.21	H ₂ SO ₄ Trend Line
Figure 6.22	HF Trend Line
Figure 6.23	Daily Average SO ₂ Emission from Stack 5 and Stack 34
Figure 6.24	Daily Average SO ₃ Emission from Stack 5 and Stack 34
Figure 6.25	Daily Average PM Emission from Stack 5 and Stack 34
Figure 6.26	Daily Average HF Emission from Stack 5 and Stack 34
Figure 6.27	pH Profile at the Monitoring Stations
Figure 6.28	Dissolved Oxygen Profile at the Monitoring Stations
Figure 6.29	BOD Profile at the Monitoring Stations

Figure 6.30	COD Profile in the Monitoring Stations
Figure 6.31	TSS Profile at the Monitoring Stations
Figure 6.32	Ammoniacal Nitrogen Profile at the Monitoring Stations
Figure 6.33	Calcium Profile in the Monitoring Stations
Figure 6.34	Iron Profile in the Monitoring Stations
Figure 6.35	Conductivity Profile in the Monitoring Stations
Figure 6.36	Trend Line of Effluent pH
Figure 6.37	Trend Line of Effluent Temperature
Figure 6.38	Trend Line of Effluent BOD
Figure 6.39	Trend Line of Effluent COD
Figure 6.40	Trend Line of Effluent TSS
Figure 6.41	Trend Line of Effluent Mercury
Figure 6.42	Trend Line of Effluent Copper
Figure 6.43	Trend Line of Effluent Manganese
Figure 6.44	Trend Line of Effluent Zinc
Figure 6.45	Trend Line of Effluent Boron
Figure 6.46	Trend Line of Effluent Iron
Figure 6.47	Trend Line of Effluent Aluminium
Figure 6.48	Trend Line of Effluent Fluoride
Figure 6.49	Trend Line of Effluent Phenol
Figure 6.50	Trend Line of Effluent Ammoniacal Nitrogen
Figure 6.51	Trend Line of Effluent Argentum
Figure 6.52	Trend Line of Effluent Selenium
Figure 6.53	Trend Line of Effluent Barium
Figure 6.54	Trend Line of Effluent Color
Figure 6.55	Trend Line of Effluent Chlorine
Figure 6.56	Trend Line of Arsenic
Figure 6.57	Trend Line of Cadmium
Figure 6.58	Trend Line of Chromium
Figure 6.59	Trend Line of Copper
Figure 6.60	Trend Line of Lead
Figure 6.61	Trend Line of Mercury
Figure 6.62	Trend Line of Zinc
Figure 6.63	Trend Line of Barium
Figure 6.64	Noise Profile at Monitoring Station N1 (Daytime)
Figure 6.65	Noise Profile at Monitoring Station N1 (Night time)
Figure 6.66	Noise Profile at Monitoring Station N2 (Daytime)
Figure 6.67	Noise Profile at Monitoring Station N2 (Night time)

Figure 6.68	Noise Profile at Monitoring Station N3 (Day time)
Figure 6.69	Noise Profile at Monitoring Station N3 (Night time)
Figure 6.70	Noise Profile at Monitoring Station N4 (Day time)
Figure 6.71	Noise Profile at Monitoring Station N4 (Night time)
Figure 7.4.1	Model 1 - Modelled Area and Configuration Boundary Conditions
Figure 7.4.2	Cross-section of the Model Showing the Modelled Layers
Figure 7.4.3	Top Surface of Model Generated in Visual MODFLOW Flex
Figure 7.4.4	Cross-section of Modelled Layers 1-6
Figure 7.4.5	Translations of Recharge Boundary Conditions (RCH, RCH2)
Figure 7.4.6	Model Grid Discretization's of Coarse and Refined Cells
Figure 7.4.7	Model 1 - Groundwater Head Contours in the Layer 1
Figure 7.4.8	Model 1 - Simulated Groundwater Head (contours) in Layer 2
Figure 7.4.9	Model 1 - Simulated Groundwater Head (contour) and Flow Pattern in Layer 3
Figure 7.4.10	Model 1 - Simulated Groundwater Head (contour) in Layer 6
Figure 7.4.11	Model Illustrate the Migrations of Particles in NE to SW Flow Direction
Figure 7.4.12	Cross Section through Layers 1-6 along Column 28, Row 64
Figure 7.4.13	Cross Section Line (SW-SE) along the Location of the Retention Pond
Figure 7.4.14	Migration of Pb after 365 days (1 year) in Layer 1
Figure 7.4.15	Migration of Pb in Layer 1 after 10950 days (30-year)
Figure 7.4.16	Migration of Pb in Layer 2 after 365 days (1 year)
Figure 7.4.17	Migration of Pb in Layer 2 after 10950 (30 years).
Figure 7.4.18	Migration of Pb in Layer 3 after 10950 days (30 year)
Figure 7.4.19	Migration of Pb in Layer 4 after 10950 days (30 year)
Figure 7.4.20	Migration of Pb in Layer 5 after 10950 days (30 year)
Figure 7.4.21	Migration of Pb in Layer 6 after 10950 days (30 year)
Figure 7.4.22	Cross-section of Modelled Layers along Row 25, Column 27 after 365 days (1-year)
Figure 7.4.23	Cross-section along Row 25, Column 27 after 10950 days (30-years)
Figure 7.4.24	Model 2 - Boundary Condition Assigned to LAMP Site and Immediate Vicinity
Figure 7.4.25	Model 2 - Recharge Boundary Conditions (RCH1, RCH2) (Pb, Cr, Ba) are Released

Figure 7.4.26	Model Grid Discretisation of Coarse and Refined Cells, Active and Inactive cells
Figure 7.4.27	Model 2 - Cross-section of Modelled Layers 1-6
Figure 7.4.28	Model 2 - Position of 7 GW wells Viewed from Top of Layer 1
Figure 7.4.29	Model 2 - Simulated GW head (contour) in Layer 2 (Model 2).
Figure 7.4.30	Model 2 - Simulated GW Flow at LAMP Site and Its Surrounding Environment
Figure 7.4.31	Model 2 - Simulated GW Head (contour) in Layer 3
Figure 7.4.32	Model 2 - Simulated GW Head (contour) in Layer 5
Figure 7.4.33	Model 2 - Particle-tracking Analysis (MODPATH) Output (Layer3)
Figure 7.4.34	Cross-section of Modeled Layer 1-6 of Pb Migration after 10 Years (Model 2).
Figure 7.4.35	Pb Migration after 7300 days (20 years) (Model 2).
Figure 7.4.36	Pb Migration after 10950 days (30 years) in Model 2.
Figure 7.4.37	Model 2 - Migration of Pb after 3650 days (10 years).
Figure 7.4.38	Model 2 - Migration of Pb after 7300 days (20 years) (Layer 2, Model 2)
Figure 7.4.39	Model 2 - Migration of Pb after 10950 days (30 years)
Figure 7.4.40	Migration of Ba after 3650 days (10 years) (Model 2)
Figure 7.4.41	Migration of Ba after 7300 days (20 years) (Model 2)
Figure 7.4.42	Migration of Ba after 10950 days (30 years) (Model 2)
Figure 7.4.43	Model 2 - Migration of Ba after 3650 days (10 years) at Layer 2
Figure 7.4.44	Model 2 - Migration of Ba after 7300 days (20 years)
Figure 7.4.45	Migration of Ba after 10950 days (30 years) (Model 2)
Figure 7.4.46	Model 2 - Migration of Cr after 3650 days (10 years)
Figure 7.4.47	Model 2 - Migration of Cr after 7300 days (20 years)
Figure 7.4.48	Model 2 - Migration of Cr after 10950 days (30 years)
Figure 7.4.49	Model 2 - Migration of Cr after 3650 days (10 years) (Layer 1)
Figure 7.4.50	Model 2 - Migration of Cr after 3650 days (10 years) (Layer 2)
Figure 7.4.51	Model 2 - Migration of Cr after 7300 days (20 years) (Layer 2)
Figure 7.4.52	Model 2 - Migration of Cr after 10950 days (30 years) (Layer 2)
Figure 7.5.1	Location of ASRs
Figure 7.5.2	Windrose for Study Area (2017)
Figure 7.5.3	SRTM Terrain of the Study Area
Figure 7.5.4	Predicted 24-hours Max Ave Incremental Conc PM10/PM2.5

Figure 8.1a
Figure 8.1b

NUF DSF Final Cover System & Cascade Drains
Details of Berm Drain and Cascade Drain